

AUTHORISED DISTRIBUTORS



10



ADDRESS : Shop No. 6, Plot No. BG-74A, Jay Tulja Bhavani Complex Telco Road,  
MIDC, Bhosari, Pune - 411 026, Maharashtra.  
PHONE : 020 - 27110960 \ 020 - 27110930  
EMAIL : sales@realswitchgears.com \ acreliance@gmail.com

**'POLYCAB' PVC insulated unsheathed bright annealed bare copper conductor single core industrial cable & PVC insulated, PVC round sheathed multicore industrial cables for voltage grade upto 1100V as per IS694:1990 (RATE PER METER)**

COND. AREA SQ. MM.	COND.CONST. (NO./DIA.MM.)	AMP	1 CORE	2 CORE	3 CORE	4 CORE	5 CORE	6 CORE	7 CORE	8 CORE	10 CORE	12 CORE	14 CORE	16 CORE	19 CORE	24 CORE		
0.50	16/0.20	05	13.65	35.55	48.70	62.30	78.25	93.75	105.00	126.00	156.00	181.50	209.00	238.00	277.00	349.00		
0.75	24/0.20	08	19.10	47.50	66.00	84.80	111.00	133.00	150.50	177.00	219.50	258.00	300.00	342.00	401.00	501.00		
1.00	32/0.20	13	24.35	60.40	83.95	108.50	143.25	171.00	192.00	227.00	280.00	331.00	388.00	441.00	517.00	650.00		
1.50	30/0.25	17	35.15	82.15	116.70	152.75	194.75	237.00	270.00	310.00	392.50	464.00	549.00	634.00	733.00	937.00		
2.50	50/0.25	24	57.80	133.00	186.50	247.00	319.50	382.00	437.00	522.00	644.00	775.00	894.00	1023.00	1187.00	1534.00		
4.00	56/0.30	30	88.80	199.00	287.00	377.00	504.00	604.00	724.00	-----	-----	-----	-----	-----	-----	-----		
6.00	84/0.30	38	132.50	293.00	423.00	556.00	742.00	890.00	-----	-----	-----	-----	-----	-----	-----	-----		
10.00	80/0.40	52	233.00	501.00	729.00	964.00	1279.00	POLYCAB INDUSTRIAL FLEXIBLE (FRLS) INSULATED CABLE										
16.00	126/0.4	70	363.00	784.00	1146.00	1513.00	1962.00	SIZE SQMM	SINGLE CORE	Size sqmm	SINGLE CORE	Size sqmm	Cond No. /dia mm)	Amp	2 CORE	3 CORE	4 CORE	5 CORE
25.00	196/0.4	88	571.00	1306.00	1901.00	2483.00	3567.00	0.50	14.00	95	2149.00	0.50	16/2	5	37.80	50.90	64.55	80.00
35.00	276/0.4	110	799.00	1818.00	2641.00	3471.00	4887.00	0.75	19.65	120	2764.00	0.75	24/2	8	50.35	68.65	87.55	113.00
50.00	396/0.4	145	1140.00	2582.00	3762.00	4968.00	7073.00	1.00	24.70	150	3465.00	1.00	32/2	13	63.10	86.95	111.40	145.50
70.00	354/0.5	215	1611.00	3668.00	5218.00	6898.00	9671.00	1.50	35.45	185	4307.00	1.50	30/.25	17	85.55	120.25	155.30	199.00
95.00	484/0.5	260	2126.00	-----	7543.00	9951.00	-----	2.50	58.70	240	5625.00	2.50	50/.25	24	138.00	191.00	252.00	324.00
120.00	608/0.5	305	2740.00	-----	9577.00	12641.00	-----	4.00	89.40	300	7040.00	4.00	56/3	30	205.00	293.00	384.00	513.00
150.00	750/0.5	355	3430.00	-----	11972.00	15803.00	-----	6.00	134.15	400	9379.00	6.00	84/3	38	300.00	430.00	562.00	756.00
185.00	925/0.5	415	4268.00	-----	14744.00	19488.00	-----	10.00	238.00	-----	-----	10.00	80/4	52	510.00	740.00	978.00	1304.00
240.00	1210/0.5	500	5570.00	-----	19033.00	25194.00	-----	16.00	369.00	-----	-----	16.00	126/4	70	804.00	1172.00	1542.00	2002.00
300.00	1527/0.5	585	6969.00	-----	23750.00	31450.00	-----	25.00	578.00	-----	-----	25.00	196/4	88	1333.00	1938.00	2534.00	3636.00
400.00	2036/0.5	695	9286.00	-----	31645.00	41658.00	-----	35.00	808.00	-----	-----	35.00	276/4	110	1856.00	2693.00	3545.00	4983.00
								50.00	1151.00	-----	-----	50.00	396/4	145	2635.00	3837.00	5065.00	7213.00
								70.00	1629.00	-----	-----	70.00	354/5	215	3741.00	5321.00	7037.00	9864.00

AUTHORISED DISTRIBUTORS



10



ADDRESS : Shop No. 6, Plot No. BG-74A, Jay Tulja Bhavani Complex Telco Road,

MIDC, Bhosari, Pune - 411 026, Maharashtra.

PHONE : 020 - 27110960 \ 020 - 27110930

EMAIL : sales@realswitchgears.com \ acreliance@gmail.com

POLYCAB TELEPHONE & SWITCHBOARD CABLES				"POLYCAB" CO-AXIAL CABLES			POLYCAB INDUSTRIAL BRAIDED-UNARMoured SCREEN CABLES												
NO.OF PAIRS	UN-ARMoured (0.50MM)	UN-ARMoured (0.40MM)	ARMoured (0.50MM)	ITEM	RATE OF COIL OF			CORES	16/.20MM 0.5sqmm	24/.20MM 0.75sqmm	32/.20MM 1.0sqmm	48/.20MM 1.5sqmm	80/.20MM 2.5sqmm	54/.30MM 4 sqmm	84/.30MM 6 sqmm				
RATE PER METER					100 Mtrs. Unar- moured	305 Mtrs. Unar- moured	PER Mtr. Armoured		2	3	4	5	6	7	8	10	12	14	16
1	11.00	7.85	----					109.00	134.00	151.00	183.00	277.00	379.00	533.00					
2	19.50	13.75	121.00					126.00	163.00	204.00	253.00	370.00	583.00	815.00					
3	28.85	20.25	----					157.00	204.00	249.00	310.00	467.00	712.00	992.00					
4	38.10	25.90	----	RG-59	2360	7210	-----	199.00	245.00	281.00	376.00	628.00	-----	-----					
5	47.25	31.80	139.00	RG-6	2965	9085	97.85	211.00	277.00	325.00	441.00	704.00	4Cx10	1661.00					
10	91.85	-----	264.00	RG-11	6760	20700	152.65	227.00	319.00	370.00	488.00	796.00	4Cx16	2680.00					
20	177.80	-----	419.00	RG-6 CCS	1920	5850	-----	264.00	379.00	421.00	563.00	831.00	4Cx25	4240.00					
50	461.00	-----	-----	RG-11 CCS	3870	11800	-----	335.00	418.00	560.00	706.00	929.00	-----	-----					
100	902.30	-----	-----					379.00	473.00	600.00	796.00	1086.00	-----	-----					
								418.00	560.00	704.00	953.00	1306.00	-----	-----					
								448.00	652.00	791.00	1052.00	1537.00							
								533.00	772.00	933.00	1306.00	1985.00							
								644.00	863.00	1171.00	1600.00	2488.00							

POLYCAB CCTV CABLES			
SIZE	RATE PER 90MTRS COIL	RATE PER 180MTRS COIL	RATE PER 300MTRS COIL
3+1	3880	7760	12933
4+1	4220	8440	14067
ARMoured 133.10/- PER METER			

UNARMoured 3+1 = 43.11 PER METER

UNARMoured 4+1 = 46.89 PER METER

POLYCAB INDUSTRIAL SPEAKER WIRE OXYGEN FREE (Rate per 90 Meter)			
SIZE	RATE	SIZE	RATE
23/36	1960	23/38	1330
40/36	3000	40/38	2205
70/36	4070	70/38	2990

1 sq.mm	3565	----	----
1.5 sq.mm	5300	----	----
2.5 sq.mm	8800	----	----

INDUSTRIAL CABLE (MULTISTRAND)				
SQMM	AMP.	FR (90 Mtrs)	FR 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)	FRLSH 300 Mtrs (0.75-2.5) 200 Mtrs (4-16)
0.75	7	1440	5635	5810
1.00	12	1940	7395	7610
1.50	16	2840	10880	11205
2.50	22	4490	17650	18190
4.00	29	6565	18150	18700
6.00	37	9810	27140	27960
10.00	45	-----	47560	48950
16.00	68	-----	75400	77615

POLYCAB JELLYFILLED TELEPHONE CABLES		
NO.OF PAIRS	UN-ARMoured (0.50MM)	ARMoured (0.50MM)
RATE PER METER		
5	119	174
10	187	278
20	315	405
50	693	872
100	-----	1850
200	-----	3398

SERVICE CABLES		
NO. OF CORES	SQ. MM	Rate per mtr
2	2.5	76.05
2	4	101.50
2	6	134.75
2	10	196.00
2	16	284.50

POLYCAB 3CORE FLAT SUBMERSIBLE CABLES		
Conductor Areasqmm	Conductor Construction (no/dia,mm)	RATE PER MTR
1.50	22/.3	98.40
2.50	36/.3	152.70
4.00	56/.3	225.00
6.00	84/0.3	332.00
10.00	80/0.4	578.00
16.00	126/0.4	894.00
25.00	196/0.4	1400.00
35.00	276/0.4	1935.00
50.00	396/0.4	-----

POLYCAB LAN (COMPUTER CABLES)				
SIZE	UTP UNARMoured Rate per 305 mtr	UTP ARMoured Rate per mtr	STP UNARMoured Rate per 305 mtr	STP ARM Rate per mtr
CAT-5E	12300	----	----	----
CAT-6	13300	114.00	20435	124.65
CAT 6-A (GOLD)	-----	-----	-----	-----

POLYCAB WELDING CABLES		
Conductor Area sqmm	Conductor Construction No.dia mm	RATE PER METER
16.00	120	448.00
25.00	160	701.00
35.00	230	968.00
50.00	400	1375.00
70.00	600	1944.00
95.00	700	2561.00
120.00	1110	3277.00

AUTHORISED DISTRIBUTORS



2



ADDRESS : Shop No. 6, Plot No. BG-74A, Jay Tulja Bhavani Complex Telco Road,  
MIDC, Bhosari, Pune - 411 026, Maharashtra.  
PHONE : 020 - 27110960 \ 020 - 27110930  
EMAIL : sales@realswitchgears.com \ acreliance@gmail.com

**Str/SoilId PVC/XLPE Indulated Core/Pair/Triad/Quad lald up together with Al (Inner sheathed GI Steel Wire Mylar/Drain Wire) Round/strip Armoured PVC Outer Sheathed Instrumentation.**

**OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES**

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
PAIR	1	0.5	134	0.75	156	1	174	1.5	208	2.5	285
PAIR	2	0.5	196	0.75	235	1	271	1.5	337	2.5	483
PAIR	3	0.5	235	0.75	295	1	351	1.5	449	2.5	667
PAIR	4	0.5	281	0.75	358	1	432	1.5	564	2.5	847
PAIR	5	0.5	329	0.75	425	1	520	1.5	689	2.5	1048
PAIR	6	0.5	379	0.75	494	1	602	1.5	803	2.5	1222
PAIR	7	0.5	416	0.75	542	1	676	1.5	928	2.5	1393
PAIR	8	0.5	466	0.75	619	1	764	1.5	1029	2.5	1578
PAIR	10	0.5	558	0.75	735	1	922	1.5	1254	2.5	1925
PAIR	12	0.5	632	0.75	859	1	1085	1.5	1469	2.5	2294
PAIR	14	0.5	695	0.75	964	1	1217	1.5	1697	2.5	2613
PAIR	16	0.5	793	0.75	1061	1	1375	1.5	1895	2.5	2967
PAIR	19	0.5	902	0.75	1255	1	1602	1.5	2216	2.5	3478
PAIR	24	0.5	1127	0.75	1577	1	1994	1.5	2785	2.5	4371

**Str/SoilId Cu PVC/XLPE Indulated Pair/Triad/Quad lald up together with Al Inner sheathed Mylar/Drain Wire PVC Inner Sheathed Unarmoured PVC Outer Sheathed Instrumentation Cable.**

**OVERALL SHIELDED-ARMOURED INSTRUMENTATION CABLES**

TYPE	No.	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE	SIZE	RATE
TRIAD	1	0.5	163	0.75	196	1	221	1.5	274	2.5	379
TRIAD	2	0.5	271	0.75	336	1	372	1.5	481	2.5	695
TRIAD	3	0.5	336	0.75	423	1	483	1.5	633	2.5	937
TRIAD	4	0.5	404	0.75	519	1	604	1.5	796	2.5	1182
TRIAD	5	0.5	467	0.75	621	1	723	1.5	975	2.5	1451
TRIAD	6	0.5	539	0.75	718	1	848	1.5	1126	2.5	1705
TRIAD	7	0.5	596	0.75	796	1	946	1.5	1269	2.5	1943
TRIAD	8	0.5	671	0.75	874	1	1059	1.5	1438	2.5	2216
TRIAD	10	0.5	795	0.75	1085	1	1288	1.5	1771	2.5	2732
TRIAD	12	0.5	905	0.75	1247	1	1509	1.5	2068	2.5	3233
TRIAD	14	0.5	1029	0.75	1424	1	1725	1.5	2377	2.5	3724
TRIAD	16	0.5	1140	0.75	1587	1	1939	1.5	2693	2.5	4222
TRIAD	19	0.5	1315	0.75	1845	1	2257	1.5	3146	2.5	4950
TRIAD	24	0.5	1629	0.75	2309	1	2821	1.5	3962	2.5	6229
QUAD	1	0.5	187	0.75	228	1	263	1.5	327	2.5	468

**POLYCAB BUILDING MANAGEMENT SYSTEM CABLE (BMS)**

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
2	59.45	76.00	91.30	119.00	186.00
3	73.75	100.10	121.00	161.00	257.00
4	91.30	121.00	155.00	207.00	325.00
5	112.50	151.00	184.00	251.00	411.00
6	130.00	171.00	214.00	303.00	492.00
7	142.00	201.00	249.00	340.00	583.00
8	161.00	217.00	277.00	381.00	650.00

**PRICE-LIST NO-10**

**DATE:- 17TH OCTOBER 2024**

CORES	0.5 sq.mm (16/.2)	0.75 sq.mm (24/.2)	1.0 sq.mm (32/.2)	1.5 sq.mm (30/.25)	2.5 sq.mm (50/.25)
10	191.00	269.00	340.00	471.00	795.00
12	226.00	315.00	402.00	558.00	975.00
14	263.00	368.00	465.00	642.00	-----
16	297.00	413.00	523.00	741.00	-----
19	340.00	492.00	618.00	862.00	-----
24	423.00	604.00	765.00	1100.00	-----

Packing 100/300 mtrs. Coils & 2000 mtrs. drums • Note: 3% extra charges for drum packing.