


Futuristic Technologies for Evolving Industries



Pricelist 2026

Effective from 15th April, 2026

Index


1. Relay Board	4-5
2. Wireless Push Button Indicator and Controller	5-7
3. Tower Light & Andon System.....	8-14
4. Limit Switch	15-17
5. Crane Pendant.....	18
6. Buzzer & Hooter	19-21
7. LED Panel Light	22
8. Machine Light	23
9. 16mm Push Button.....	24
10. Elevator	25
11. Connectors	26
12. Accessories	27

Standard Relay Board with 12A Relay (Omron G2RL)


Channel	Change Over	Voltage	WITHOUT FUSE		WITH FUSE	
			Cat No.	MRP	Cat No.	MRP
4 Channel	1 C/O	24V DC	RBS0410024D01	1012	RBS041F024D01	1322
		110V AC	RBS0410110A01	2162	RBS041F110A01	-
		240V AC	RBS0410240A01	2300	RBS041F240A01	-
4 Channel	2 C/O	24V DC	RBS0420024D01	1530	RBS042F024D01	1644
		110V AC	RBS0420110A01	2599	RBS042F110A01	-
		240V AC	RBS0420240A01	2886	RBS042F240A01	-
8 Channel	1 C/O	24V DC	RBS0810024D01	1552	RBS081F024D01	2346
		110V AC	RBS0810110A01	4209	RBS081F110A01	-
		240V AC	RBS0810240A01	4485	RBS081F240A01	-
8 Channel	2 C/O	24V DC	RBS0820024D01	2944	RBS082F024D01	3231
		110V AC	RBS0820110A01	5083	RBS082F110A01	-
		240V AC	RBS0820240A01	5659	RBS082F240A01	-
16 Channel	1 C/O	24V DC	RBS1610024D01	3921	RBS161F024D01	-
		110V AC	RBS1610110A01	8234	RBS161F110A01	-
		240V AC	RBS1610240A01	8797	RBS161F240A01	-




Modbus Relay Board

	Channel	Change Over	Voltage	Cat No.	MRP
	8 Channel	1 C/O	24V DC	RBM0810024D01	10400


Ethernet Based Modbus TCP/IP Relay Board

	Channel	Change Over	Voltage	Cat No.	MRP
	8 Channel	1 C/O	24V DC	RBE0810024D01	4580

Wireless Relay Board


	Channel	Change Over	Voltage	Cat No.	MRP
	8 Channel	1 C/O	24V DC	RBW0810024D01	12650

Wireless Push Button (Range Max 300 Meter **)

	Sr. No	Item	Cat No.	MRP (INR)
	1	Transmitter (1 Push Button with 23A Alkaline Battery)	IRPLACD05	4080
	2	Receiver 24V DC with 2 NO Relay (6A)	IRFLZDD03	6060

** Range: 100 m with obstacles, 300 m without obstacles


Humidity Controller

	Sr. No	Item	Cat No.	MRP (INR)
	1	HUMIDITY CONTROLLER WITH 2 NO RELAY 24-240V AC/DC	PHJC224C01	3690


Digital Indicators


DC Voltage Variants of Indicators


GEN 1 Voltage Indicator 24V DC			
	Description	Cat No.	MRP (INR)
	Red	EVAR024D01	350
	Yellow	EVAY024D01	350
	Blue	EVAB024D01	350
	Green	EVAG024D01	350
	Amber	EVAA024D01	350
	Clear	EVAC024D01	350


GEN 1 Temperature Indicator 24V DC			
	Description	Cat No.	MRP (INR)
	Red	ETAR024D01	440
	Yellow	ETAY024D01	440
	Blue	ETAB024D01	440
	Green	ETAG024D01	440
	Amber	ETAA024D01	440
	Clear	ETAC024D01	440

AC Voltage Variants of Indicators

GEN 1 Voltage Indicator 240V AC			
	Description	Cat No.	MRP (INR)
	Red	EVAR240A01	350
	Yellow	EVAY240A01	350
	Blue	EVAB240A01	350
	Green	EVAG240A01	350
	Amber	EVAA240A01	350
	Clear	EVAC240A01	350

GEN 1 Temperature Indicator 240V AC			
	Description	Cat No.	MRP (INR)
	Red	EVAC240A01	440
	Yellow	ETAY240A01	440
	Blue	ETAB240A01	440
	Green	ETAG240A01	440
	Amber	ETAA240A01	440
	Clear	ETAC240A01	440

GEN 1 Current Indicator 240V AC			
	Description	Cat No.	MRP (INR)
	Red	ECAR240A01	670
	Yellow	ECAY240A01	670
	Blue	ECAB240A01	670
	Green	ECAG240A01	670
	Amber	ECAA240A01	670
	Clear	ECAC240A01	670

GEN 1 Frequency Indicator 240V AC			
	Description	Cat No.	MRP (INR)
	Red	EFAR240A01	360
	Yellow	EFAY240A01	360
	Blue	EFAB240A01	360
	Green	EFAG240A01	360
	Amber	EFAA240A01	360
	Clear	EFAC240A01	360

Multifunction Tower Light (70MM)

Magnetic Base (48-240 V AC/DC)

	Without Buzzer	With Permanent Buzzer	With Intermittent Buzzer	With Multifunction Buzzer
Colour	Cat No.	Cat No.	Cat No.	Cat No.
1 Colour	TW7MMB0000RKZ001	TW7MMB0000RKZ101	TW7MMB0000RKZ201	TW7MMB0000RKZ301
2 Colour	TW7MMB000RGKZ001	TW7MMB000RGKZ101	TW7MMB000RGKZ201	TW7MMB000RGKZ301
3 Colour	TW7MMB00RGYKZ001	TW7MMB00RGYKZ101	TW7MMB00RGYKZ201	TW7MMB00RGYKZ301
4 Colour	TW7MMB0RGYBKZ001	TW7MMB0RGYBKZ101	TW7MMB0RGYBKZ201	TW7MMB0RGYBKZ301
5 Colour	TW7MSBRGYBWKZ001	TW7MM0RGYBWKZ101	TW7MM0RGYBWKZ201	TW7MM0RGYBWKZ301

Small Base (48-240 V AC/DC)

	Without Buzzer	With Permanent Buzzer	With Intermittent Buzzer	With Multifunction Buzzer
Colour	Cat No.	Cat No.	Cat No.	Cat No.
1 Colour	TW7MSB0000RKZ001	TW7MSB0000RKZ101	TW7MSB0000RKZ201	TW7MSB0000RKZ301
2 Colour	TW7MSB000RGKZ001	TW7MSB000RGKZ101	TW7MSB000RGKZ201	TW7MSB000RGKZ301
3 Colour	TW7MSB00RGYKZ001	TW7MSB00RGYKZ101	TW7MSB00RGYKZ201	TW7MSB00RGYKZ301
4 Colour	TW7MSB0RGYBKZ001	TW7MSB0RGYBKZ101	TW7MSB0RGYBKZ201	TW7MSB0RGYBKZ301
5 Colour	TW7MSBRGYBWKZ001	TW7MSBRGYBWKZ101	TW7MSBRGYBWKZ201	TW7MS0RGYBWKZ301

Big Base (48-240 V AC/DC)

	Without Buzzer	With Permanent Buzzer	With Intermittent Buzzer	With Multifunction Buzzer
Colour	Cat No.	Cat No.	Cat No.	Cat No.
1 Colour	TW7MBB0000RKZ001	TW7MBB0000RKZ101	TW7MBB0000RKZ201	TW7MBB0000RKZ301
2 Colour	TW7MBB000RGKZ001	TW7MBB000RGKZ101	TW7MBB000RGKZ201	TW7MBB000RGKZ301
3 Colour	TW7MBB00RGYKZ001	TW7MBB00RGYKZ101	TW7MBB00RGYKZ201	TW7MBB00RGYKZ301
4 Colour	TW7MBB0RGYBKZ001	TW7MBB0RGYBKZ101	TW7MBB0RGYBKZ201	TW7MBB0RGYBKZ301
5 Colour	TW7MBBRGYBWKZ001	TW7MBBRGYBWKZ101	TW7MBBRGYBWKZ201	TW7MBBRGYBWKZ301



Multifunction Tower Light


Cat No.	Description	MRP (INR)
TW7MBB0000RKZ001	Multifunction Tower Light Big Base 70mm Red 48-240V AC/DC W/O Buzzer	6,320.00
TW7MBB0000RKZ101	Multifunction Tower Light Big Base 70mm Red 48-240V AC/DC With Continuous Buzzer	9,790.00
TW7MBB0000RKZ201	Multifunction Tower Light Big Base 70mm Red 48-240V AC/DC With Intermittent Buzzer	9,790.00
TW7MBB0000RKZ301	Multifunction Tower Light Big Base 70mm Red 48-240V AC/DC With Multifunction Buzzer	9,790.00
TW7MBB0000RGKZ001	Multifunction Tower Light Big Base 70mm Red,Green 48-240V AC/DC W/O Buzzer	9,790.00
TW7MBB0000RGKZ101	Multifunction Tower Light Big Base 70mm Red,Green 48-240V AC/DC Continuous Buzzer	13,250.00
TW7MBB0000RGKZ201	Multifunction Tower Light Big Base 70mm Red,Green 48-240V AC/DC Intermittent Buzzer	13,250.00
TW7MBB0000RGKZ301	Multifunction Tower Light Big Base 70mm Red,Green 48-240V AC/DC Multifunction Buzzer	13,250.00
TW7MBB0000RGYKZ001	Multifunction Tower Light Big Base 70mm Red,Green,Yellow 48-240V AC/DC W/O Buzzer	13,250.00
TW7MBB0000RGYKZ101	Multifunction Tower Light Big Base 70mm Red,Green,Yellow 48-240V AC/DC Continuous Buzzer	16,720.00
TW7MBB0000RGYKZ201	Multifunction Tower Light Big Base 70mm Red,Green,Yellow 48-240V AC/DC Intermittent Buzzer	16,720.00
TW7MBB0000RGYKZ301	Multifunction Tower Light Big Base 70mm Red,Green,Yellow 48-240V AC/DC Multifunction Buzzer	16,720.00
TW7MBB0000RGYBKZ001	Multifunction Tower Light Big Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC W/O Buzzer	16,720.00
TW7MBB0000RGYBKZ101	Multifunction Tower Light Big Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Continuous Buzzer	20,200.00
TW7MBB0000RGYBKZ201	Multifunction Tower Light Big Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Intermittent Buzzer	20,200.00
TW7MBB0000RGYBKZ301	Multifunction Tower Light Big Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Multifunction Buzzer	20,200.00
TW7MMB0000RKZ101	Multifunction Tower Light Magnet Base 70mm Red 48-240V AC/DC With Continuous Buzzer	10,130.00
TW7MMB0000RKZ201	Multifunction Tower Light Magnet Base 70mm Red 48-240V AC/DC With Intermittent Buzzer	10,130.00
TW7MMB0000RKZ301	Multifunction Tower Light Magnet Base 70mm Red 48-240v Ac/Dc With Multifunction Buzzer	10,130.00
TW7MMB0000RGKZ001	Multifunction Tower Light Magnet Base 70mm Red,Green 48-240V AC/DC W/O Buzzer	10,130.00
TW7MMB0000RGKZ101	Multifunction Tower Light Magnet Base 70mm Red,Green 48-240V AC/DC Continuous Buzzer	13,590.00
TW7MMB0000RGKZ201	Multifunction Tower Light Magnet Base 70mm Red,Green 48-240V AC/DC Intermittent Buzzer	13,590.00
TW7MMB0000RGKZ301	Multifunction Tower Light Magnet Base 70mm Red,Green 48-240V AC/DC Multifunction Buzzer	13,590.00
TW7MMB0000RGYKZ001	Multifunction Tower Light Magnet Base 70mm Red,Green,Yellow 48-240V AC/DC W/O Buzzer	13,590.00
TW7MMB0000RGYKZ101	Multifunction Tower Light Magnet Base 70mm Red,Green,Yellow 48-240V AC/DC Continuous Buzzer	17,070.00

TW7MMB00RGYKZ201	Multifunction Tower Light Magnet Base 70mm Red,Green,Yellow 48-240V AC/DC Intermittent Buzzer	17,070.00
TW7MMB00RGYKZ301	Multifunction Tower Light Magnet Base 70mm Red,Green,Yellow 48-240V AC/DC Multifunction Buzzer	17,070.00
TW7MMB00RGYBKZ001	Multifunction Tower Light Magnet Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC W/O Buzzer	17,070.00
TW7MMB00RGYBKZ101	Multifunction Tower Light Magnet Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Continuous Buzzer	20,530.00
TW7MMB00RGYBKZ201	Multifunction Tower Light Magnet Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Intermittent Buzzer	20,530.00
TW7MMB00RGYBKZ301	Multifunction Tower Light Magnet Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Multifunction Buzzer	20,530.00
TW7MSB0000RKZ001	Multifunction Tower Light Small Base 70mm Red 48-240V AC/DC W/O Buzzer	5,560.00
TW7MSB0000RKZ101	Multifunction Tower Light Small Base 70mm Red 48-240V AC/DC With Continuous Buzzer	9,020.00
TW7MSB0000RKZ201	Multifunction Tower Light Small Base 70mm Red 48-240V AC/DC With Intermittent Buzzer	9,020.00
TW7MSB0000RKZ301	Multifunction Tower Light Small Base 70mm Red 48-240V AC/DC With Multifunction Buzzer	9,020.00
TW7MSB000RGKZ001	Multifunction Tower Light Small Base 70mm Red,Green 48-240V AC/DC W/O Buzzer	9,020.00
TW7MSB000RGKZ101	Multifunction Tower Light Small Base 70mm Red,Green 48-240V AC/DC Continuous Buzzer	12,480.00
TW7MSB000RGKZ201	Multifunction Tower Light Small Base 70mm Red,Green 48-240V AC/DC Intermittent Buzzer	12,480.00
TW7MSB000RGKZ301	Multifunction Tower Light Small Base 70mm Red,Green 48-240V AC/DC Multifunction Buzzer	12,480.00
TW7MSB00RGYKZ001	Multifunction Tower Light Small Base 70mm Red,Green,Yellow 48-240V AC/DC W/O Buzzer	12,480.00
TW7MSB00RGYKZ101	Multifunction Tower Light Small Base 70mm Red,Green,Yellow 48-240V AC/DC Continuous Buzzer	15,950.00
TW7MSB00RGYKZ201	Multifunction Tower Light Small Base 70mm Red,Green,Yellow 48-240V AC/DC Intermittent Buzzer	15,950.00
TW7MSB00RGYKZ301	Multifunction Tower Light Small Base 70mm Red,Green,Yellow 48-240V AC/DC Multifunction Buzzer	15,950.00
TW7MSB00RGYBKZ001	Multifunction Tower Light Small Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC W/O Buzzer	15,950.00
TW7MSB00RGYBKZ101	Multifunction Tower Light Small Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Continuous Buzzer	19,420.00
TW7MSB00RGYBKZ201	Multifunction Tower Light Small Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Intermittent Buzzer	19,420.00
TW7MSB00RGYBKZ301	Multifunction Tower Light Small Base 70mm,Red,Green,Yellow, Blue 48-240V AC/DC Multifunction Buzzer	19,420.00

Multifunction Tower Light Spares:

Cat No.	Description	MRP (INR)
ES70LR7K	Assembly Of Tower Light 70mm Lens Unit For Red 48-240V AC/DC	3,340.00
ES70LG7K	Assembly Of Tower Light 70mm Lens Unit For Green 48-240V AC/DC	3,340.00
ES70LY7K	Assembly Of Tower Light 70mm Lens Unit For Yellow 48-240V AC/DC	3,340.00
ES70LB7K	Assembly Of Tower Light 70mm Lens Unit For Blue 48-240V AC/DC	3,340.00
ES70LA7K	Assembly Of Tower Light 70mm Lens Unit For Amber 48-240V AC/DC	3,340.00
ES70LC7K	Assembly Of Tower Light 70mm Lens Unit For Clear 48-240V AC/DC	3,340.00
ES70Z07K	Assembly Of Tw70k Buzzer Unit 48-240V AC/DC	3,340.00
ESTWM23X0	Mechanical Assembly For T/W 70mm Big Base	2,550.00
ESTWM25X0	Spare Parts For T/W 70mm Magnet Base	165.00
ESTWM22X0	Mechanical Assembly For T/W 70mm Magnet Base	2,880.00
ESTWM24X0	Mechanical Assembly For T/W 70mm Small Base	1,780.00
	Per Lens Assly Cost	137.00

Multicolour Tower Light (3 Colour in 1 Lens)

Accessories	Buzzer	Voltage	Cat No.	MRP (INR)
	Without Buzzer	24 V DC	TW11UWDRGA10G	1950
	With Buzzer	24 V DC	TW11UWDRGYZ10G	2200
	Without Buzzer	240 V AC	TW10UWDRGA10G	1950
	With Buzzer	240 V AC	TW10UWDRGYZ10G	2200

Pro Tower Light (Pre-Wired) - 50mm Diameter



Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer (INR)	Without Buzzer (INR)
Normal Base (60mm and 110mm)	Single Colour	1315	1005
	Two Colour	1837	1527
	Three Colour	2353	2043
	Four Colour	2978	2568
	Five Colour	3397	3087

Tower Light CONTINUOUS (24V AC/DC, W/O BUZZER)	
Description	Cat No.
Red	TW15UR100G
Red, Green	TW15US100G
Red, Amber, Green	TW15U1100L
Red, Green, Yellow	TW15UT100G
Red, Green, Yellow, Blue	TW15UU100G
Red, Green, Yellow, Blue, White	TW15UV100G

Tower Light CONTINUOUS (24V AC/DC, WITH CONTINUOUS BUZZER)	
Description	Cat No.
Red	TW15UR1Z1G
Red, Green	TW15US1Z1G
Red, Amber, Green	TW15U11Z1L
Red, Green, Yellow	TW15UT1Z1G
Red, Green, Yellow, Blue	TW15UU1Z1G
Red, Green, Yellow, Blue, White	TW15UV1Z1G

Tower Light CONTINUOUS (24V AC/DC, WITH INTERMITTENT BUZZER)	
Description	Cat No.
Red	TW15UR1Z2G
Red, Green	TW15US1Z2G
Red, Green, Yellow	TW15UT1Z2G
Red, Green, Yellow, Blue	TW15UU1Z2G
Red, Green, Yellow, Blue, White	TW15UV1Z2G

Tower Light CONTINUOUS (240V AC/DC, W/O BUZZER)	
Description	Cat No.
Red	TW15XR100G
Red, Green	TW15XS100G
Red, Amber, Green	TW15X1100L
Red, Green, Yellow	TW15XT100G
Red, Green, Yellow, Blue	TW15XU100G
Red, Green, Yellow, Blue, White	TW15XV100G

Tower Light CONTINUOUS (240V AC/DC, WITH CONTINUOUS BUZZER)	
Description	Cat No.
Red	TW15XR1Z1G
Red, Green	TW15XS1Z1G
Red, Amber, Green	TW15X11Z1L
Red, Green, Yellow	TW15XT1Z1G
Red, Green, Yellow, Blue	TW15XU1Z1G
Red, Green, Yellow, Blue, White	TW15XV1Z1G

Tower Light CONTINUOUS (240V AC/DC, WITH INTERMITTENT BUZZER)	
Description	Cat No.
Red	TW15XR1Z2G
Red, Green	TW15XS1Z2G
Red, Green, Yellow	TW15XT1Z2G
Red, Green, Yellow, Blue	TW15XU1Z2G
Red, Green, Yellow, Blue, White	TW15XV1Z2G

* For Customised Tower Light Solutions please contact our sales team for pricing

* For L Clamp Tower Light please contact our sales team for pricing

Pro Tower Light (Pre-Wired) - 70mm Diameter



Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer (INR)	Without Buzzer (INR)
Normal Base (60mm and 110mm)	Single Colour	1565	1375
	Two Colour	2087	1825
	Three Colour	2603	2350
	Four Colour	3128	2875
	Five Colour	3647	3375

Tower Light Continuous (24V AC/DC, W/O Buzzer)	
Description	Cat No.
Red	TW16UR100G
Red, Green	TW16US100G
Red, Amber, Green	TW16UT1100L
Red, Green, Yellow	TW16UT100G
Red, Green, Yellow, Blue	TW16UU100G
Red, Green, Yellow, Blue, White	TW16UV100G

Tower Light Continuous (24V AC/DC, With Continuous Buzzer)	
Description	Cat No.
Red	TW16UR1Z1G
Red, Green	TW16US1Z1G
Red, Amber, Green	TW16UT1Z1L
Red, Green, Yellow	TW16UT1Z1G
Red, Green, Yellow, Blue	TW16UU1Z1G
Red, Green, Yellow, Blue, White	TW16UV1Z1G

Tower Light Continuous (24V AC/DC, With Intermittent Buzzer)	
Description	Cat No.
Red	TW16UR1Z2G
Red, Green	TW16US1Z2G
Red, Green, Yellow	TW16UT1Z2G
Red, Green, Yellow, Blue	TW16UU1Z2G
Red, Green, Yellow, Blue, White	TW16UV1Z2G


Tower Light Continuous (240V AC/DC, W/O Buzzer)	
Description	Cat No.
Red	TW16XR100G
Red, Green	TW16XS100G
Red, Amber, Green	TW16X1100L
Red, Green, Yellow	TW16XT100G
Red, Green, Yellow, Blue	TW16XU100G
Red, Green, Yellow, Blue, White	TW16XV100G

Tower Light Continuous (240V AC/DC, With Continuous Buzzer)	
Description	Cat No.
Red	TW16XR1Z1G
Red, Green	TW16XS1Z1G
Red, Amber, Green	TW16X11Z1L
Red, Green, Yellow	TW16XT1Z1G
Red, Green, Yellow, Blue	TW16XU1Z1G
Red, Green, Yellow, Blue, White	TW16XV1Z1G

Tower Light Continuous (240V AC/DC, With Intermittent Buzzer)	
Description	Cat No.
Red	TW16XR1Z2G
Red, Green	TW16XS1Z2G
Red, Green, Yellow	TW16XT1Z2G
Red, Green, Yellow, Blue	TW16XU1Z2G
Red, Green, Yellow, Blue, White	TW16XV1Z2G

* For Customised Tower Light Solutions please contact our sales team for pricing
 * For L Clamp Tower Light please contact our sales team for pricing

Stackable Tower Light (Modular Type) - IP65 & UL Approved

Tower Light (12V AC/DC, 24V AC/DC, 110V AC, 240V AC)			
	Permanent Illumination	With Buzzer	Without Buzzer
Normal Base (60mm and 110mm) 	Single Colour	2332	1482
	Two Colour	2912	2062
	Three Colour	3492	2642
	Four Colour	NA	3222

For Customised Tower Light Variations Refer Below Prices

Tower Light Without Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
1 Stack Tower Light Without Buzzer		
1	Single Unit Permanent	1482
1	Single Unit Blinking	1606
1	Single Unit Revolving	1810
2 Stack Tower Light Without Buzzer		
2	Two Units Permanent	2062
2	Two Units Blinking	2310
2	One Unit Permanent & One Unit Blinking	2186
2	Two Units Revolving	2718
2	One Unit Permanent & One Revolving	2389
2	One Unit Blinking & One Revolving	2514
3 Stack Tower Light Without Buzzer		
3	Three Units Permanent	2642
3	Two Units Permanent & One Unit Blinking	2766
3	One Unit Permanent & Two Unit Blinking	2890
3	Three Units Blinking	3014

Tower Light Without Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
3	Three Units Revolving	3626
3	Two Units Permanent & One Revolving	2970
3	Two Units Blinking & One Revolving	3218
3	One Unit Permanent, One Blinking, One Revolving	3094
3	One Unit Permanent & Two Revolving	3298
3	One Unit Blinking & Two Revolving	3422
4 Stack Tower Light Without Buzzer		
4	Four Units Permanent	3222
4	Three Units Permanent & One Unit Blinking	3346
4	Two Units Permanent & Two Unit Blinking	3470
4	One Unit Permanent & Three Unit Blinking	3594
4	Four Units Blinking	3718
4	Three Units Permanent & One Revolving	3550
4	Two Units Permanent & Two Revolving	3878

Tower Light With Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
2 Stack Tower Light With Buzzer		
2	Single Unit Permanent With Buzzer	2332
2	Single Unit Blinking With Buzzer	2456
2	Single Unit Revolving With Buzzer	2660
3 Stack Tower Light With Buzzer		
3	Two Units Permanent With Buzzer	2912
3	Two Units Blinking With Buzzer	3160
3	One Unit Permanent & One Unit Blinking With Buzzer	3036
3	Two Units Revolving	3568

Tower Light With Buzzer		
No. of Stack	Tower Light Description	MRP (INR)
3	One Unit Permanent & One Revolving	3240
3	One Unit Blinking & One Revolving	3364
4 Stack Tower Light With Buzzer		
4	Three Units Permanent With Buzzer	3492
4	Two Units Permanent & One Unit Blinking With Buzzer	3618
4	One Unit Permanent & Two Unit Blinking With Buzzer	3740
4	Three Units Blinking With Buzzer	3864
4	One Unit Permanent, One Blinking, One Revolving	3944

* For L Clamp Base and Foldable Base Order Base and Lens Separately

Tower Light Part Number Decoding			
TW	1 - Base 60mm	U - 24V AC/DC X - 240V AC	R - Red A - Amber G - Green Y - Yellow
	2 - Base 110mm	T - 12V AC/DC W - 110V AC	B - Blue W - White Z - Buzzer
			1 - Permanent 2 - Blinking 3 - Revolving

For Example:

TW1UR1A1G1Z1 - Tower Light Small Base 24V AC/DC Red-Amber-Green Permanent Illumination with Permanent Buzzer
TW1XR1 - Tower Light Small Base 240V AC Red Permanent Illumination without Buzzer
TW1XR1Z1 - Tower Light Small Base 240V AC Red Permanent Illumination with Permanent Buzzer
TW1UR1G1Z1 - Tower Light Small Base 24V AC/DC Red-Green Permanent Illumination with Permanent Buzzer
TW1UR1G1 - Tower Light Small Base 24V AC/DC Red-Green Permanent Illumination without Buzzer

Spare Prices

Tower Light Base Selection



Luminous Lens Selection



Buzzer Lens Selection



Base	Cat No.	MRP
Small Base 60mm	ES5001	902
Big Base 110mm	ES5002	967


Lens (Any Colour)	MRP
Permanent Illumination	580
Blinking Type	704
Revolving Type	908

Cat No. Decoding (Lens)			
ES50L	R - Red A - Amber G - Green Y - Yellow B - Blue W - White	1 - Permanent 2 - Blinking 3 - Revolving	U - 24V AC/DC X - 240V AC T - 12V AC/DC W - 110V AC

Buzzer (Any Voltage)	MRP
Permanent	850
Intermittent	850

Part Number Decoding (Buzzer)		
ES50Z	1 - Permanent 2 - Intermittent	U - 24V AC/DC X - 240V AC T - 12V AC/DC W - 110V AC

Accessories		Cat No.	MRP (INR)
Tower Light With Different Mounting 	Base Mounted	ES5019	1162

Accessories		Cat No.	MRP (INR)
	Wall Mounted Bracket	ES122012A	462

	Pole Height	Cat No.	MRP (INR)
Swiveling Base 	100mm	ES60004	2600
	200mm	ES60006	2950
	400mm	ES60010	3650

	Pole Height	Cat No.	MRP (INR)
L Clamp 	100mm	ES70004	1700
	200mm	ES70006	2050
	400mm	ES70010	2450

Wireless Andon System for Industry 4.0 Applications

For Prices Please Contact our Sales Team



Sr. No	Item
1	ANDON SYSTEM WITH SINGLE FAULT DETECTION
2	ANDON SYSTEM WITH FIVE FAULT DETECTION

Description	Cat No.
WIRELESS ANDON SYSTEM 24V DC WITH FIVE FAULT	IATWZDD10
ANDON WIRELESS ETHERNET GATEWAY 24V DC	IAFLZDD29

SLPB Series (Plastic body)



SLPSS Series (Plastic body)



SLMPB Series (Metal body)



MLAS Series (Plastic body)



Cat No.	MLASS3A1
MRP	677



Cat No.	MLASS3B2
MRP	764



Cat No.	MLASS3C4
MRP	575



Cat No.	MLASS3C0
MRP	575

MNPS Series (Plastic body)



Cat No.	MNPSS3100D
MRP	145



Cat No.	MNPSS3101D
MRP	145



Cat No.	MNPSS3103C
MRP	185



Cat No.	MNPSS3100GD
MRP	245



Cat No.	MNPSS3100RD
MRP	245

SLMB Series (Metal body)



Cat No.	SLMBS3D3
MRP	2392



Cat No.	SLMBS3A2
MRP	2107



Cat No.	SLMBS3F6
MRP	2392



Cat No.	SLMBS3F7
MRP	2311



Cat No.	SLMBS3A3
MRP	2015



Cat No.	SLMBS3C3
MRP	1959



Cat No.	SLMBS3B5
MRP	2357



Cat No.	SLMBS3C4
MRP	2403



Cat No.	SLMBS3C5
MRP	1959



Cat No.	SLMBS3M3
MRP	2086



Cat No.	SLMBS3M4
MRP	2086



Cat No.	SLMBS3M5
MRP	2066

SLMSB Series (Metal body)



Cat No.	SLMSBS3B4
MRP	1387



Cat No.	SLMSBS3E3
MRP	1387



Cat No.	SLMSBS3A1
MRP	1387



Cat No.	SLMSBS3F6
MRP	1387

MLPB Series (Plastic body)



Cat No.	MLPBS3A2
MRP	432




Cat No.	MLPBS3A3
MRP	478



Cat No.	MLPBS3C2
MRP	656



Cat No.	MLPBS3L3
MRP	478



Cat No.	MLPBS3L4
MRP	478



Cat No.	MLPBS3C1
MRP	478



Cat No.	MLPBS3E5
MRP	448



Cat No.	HB482000A
MRP	65



Cat No.	MLPBS3C12
MRP	351

PVC Cap



Cat No.	MLPBS3C7
MRP	463



Door Limit
Switch w/o Cover

Cat No.	MLPSS3A5
MRP	216



Door Limit
Switch with Cover

Cat No.	MLPSS3A7
MRP	240

Wireless Crane Pendant


		Item	Cat No.	MRP (INR)
	Single Speed	Single Speed Receiver With 6 Direction 24V DC	IRELZDD04	12,210
		Single Speed Receiver With 6 Direction 110V AC	IRELZFA04	13,010
		Single Speed Receiver With 6 Direction 240V AC	IRELZGA04	12,990
		Single Speed Remote With 6 Direction & On/Off	IRTLLAD03	6,510
	Double Speed	Double Speed Receiver With 6 Direction 24V DC	IRELLDD08	22,020
		Double Speed Receiver With 6 Direction 110V AC	IRELLFA08	19,125
		Double Speed Receiver With 6 Direction 240V AC	IRELLGA08	22,830
		Double Speed Remote With 6 Direction & On/Off	IRTLLAD07	9,125

Crane Pendant


Sr. No	Item	Cat No.	MRP (INR)
1	3 Way Pendant Emergency, Up/Down Single Speed	EC3M01007	1896
2	3 Way Pendant Emergency, Up/Down Double Speed	EC3M01008	2116
3	5 Way Pendant Emergency, Up/Down Single Speed, Right/Left Single Speed	EC5M01009	2875
4	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Single Speed	EC5M01011	3042
5	5 Way Pendant Emergency, Up/Down Double Speed, Right/Left Double Speed	EC5M01010	3262
6	6 Way Pendant Emergency/Start, Up/Down Single Speed, Right/Left Single Speed	EC6M01020	3816
7	6 Way Pendant Emergency Stop Turn to Release/Start, Hoist/Low Double Speed, Right/Left Double Speed	EC6M01021	4255
8	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Single Speed	EC8M01022	4859
9	8 Way Pendant Emergency/Start, Up/Down Single Speed Right/Left Single Speed, For/Rev Double Speed	EC8M01023	5079
10	8 Way Pendant Emergency/Start, Up/Down Double Speed Right/Left Double Speed, For/Rev Double Speed	EC8M01024	5519

* Customisation Available.


96 x 96 Hooter

	Cat No.	Selection Code	Voltage	MRP (INR)
	IC01	F59C - Without AcknowLEDgement	248D - 24 V DC & 48 V DC 114A - 110 V AC & 240 V AC	1310
		F60C - With AcknowLEDgement		1440
	IC001	F59C - Without AcknowLEDgement	224C - 24 to 240V AC/DC	1007
		F60C - With AcknowLEDgement		1007

IP65 High dB Siren (130 dB at 1 Meter)

	Cat No.	MRP (INR)
	IA00F104C024D	4800


Siren Flasher - 100 dB sound output

	Voltage	Cat No.	MRP (INR)
	240V AC	IA12M34R240A	2350
	110V AC	IA12M34R110A	2350
	24V DC	IA12M34R024D	2350


Siren - 100 dB Sound Output

	Voltage	Cat No.	MRP (INR)
	240V AC	IA00040C240A	1530
	110V AC	IA00040C110A	1530
	24V DC	IA00040C024C	1530


Alarm Horn

	Cat No.	Description	MRP (INR)
	IL00F711I26D	Alarm Horn 10-26VDC -400MM	750
	IL00F65I126D	Alarm Horn 10-26VDC -600MM	760


Mist Buzzer

	Cat No.	Description	MRP (INR)
	IC00F64C012D	Mist Buzzer Wall Mounted - 12V	390


Panel Mount Flasher Buzzer (22.5mm, 240V AC)

	Sr. No	Item	Cat No.	MRP (INR)
	1	Red	EG15RI10R240A	405
	2	Amber	EG15RI10A240A	405
	3	Yellow	EG15RI10Y240A	405
	4	Green	EG15RI10G240A	405


Panel Mount Flasher Buzzer (22.5mm, 24V AC/DC)

	Sr. No	Item	Cat No.	MRP (INR)
	1	Red	EG15RI10R024D	480
	2	Amber	EG15RI10A024D	480
	3	Yellow	EG15RI10Y024D	480
	4	Green	EG15RI10G024D	480


Panel Mount Flasher Buzzer (22.5mm, 12V AC/DC)

	Sr. No	Item	Cat No.	MRP (INR)
	1	Red	EG15RI10R012D	490
	2	Amber	EG15RI10A012D	490
	3	Yellow	EG15RI10Y012D	490
	4	Green	EG15RI10G012D	490

Panel Mount Flasher Buzzer (22.5mm, 110V AC)

	Sr. No	Item	Cat No.	MRP (INR)
	1	Red	EG15RI10R110A	510
	2	Amber	EG15RI10A110A	510
	3	Yellow	EG15RI10Y110A	510
	4	Green	EG15RI10G110A	510

Panel Mount Flasher Buzzer (22.5mm, 48V AC/DC)

	Sr. No	Item	Cat No.	MRP (INR)
	1	Red	EG15RI10R048C	990
	2	Amber	EG15RI10A048C	990
	3	Yellow	EG15RI10Y048C	990
	4	Green	EG15RI10G048C	990

Panel Light (Plastic Moulding with ON-OFF Switch)



LED Panel Light with ON-OFF Switch, White Housing

Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03W240A	1035	IC24A04W240A	1235
110 V AC	IC24A03W110A	1035	IC24A04W110A	1235
24 V DC	IC24A03W024D	875	IC24A04W024D	1075
12 V DC	IC24A03W012D	875	IC24A04W012D	1075

LED Panel Light with ON-OFF Switch, Black Housing

Voltage	With Bracket	MRP (INR)	With Magnet	MRP (INR)
240 V AC	IC24A03C240A	1035	IC24A04C240A	1235
110 V AC	IC24A03C110A	1035	IC24A04C110A	1235
24 V DC	IC24A03C024D	875	IC24A04C024D	1075
12 V DC	IC24A03C012D	875	IC24A04C012D	1075

* 48V DC Available

Battery Panel Light



Cat No.	Description	MRP (INR)
IC020G03W005D	Charging Panel Light With Bracket	2,353.00

LED Tube Light



Size	Cat No. / Description	MRP (INR)
4 Feet	IT520WCW4MS240A	675
	4 Feet LED Tube Light 20W, 240V AC	
2 Feet	IT512WCW2MSC240A00 / IT510WCW2MSP240A	540
	2 Feet LED Tube Light 12W, 240V AC	
1 Feet	IT505WCW1MSC240A00 / IT505WCWMSP240A	405
	1 Feet LED Tube Light 05W, 240V AC	
150 mm	IT503WCWBMSC240A00	281
	150 mm LED Tube Light 03W, 240V AC	

Machine Light (IP67 & 4G Vibration)

		Voltage	Watts	Size	Cat No.	MRP (INR)
	IP67 Machine Lights	20-30 V DC	15W	800mm	IM15WAL024D	10800
		20-30 V DC	30W	1200mm	IM30WAJ024D	13100
	IP67 Work Lights	24 V DC	15W	Short Arm	IM15WAH024C	7700
		24 V DC	15W	Long Arm	IM15WAL024C	13100

Different Size, Voltage and Wattage Available (Please contact our sales team)

	Cat No.	Selection Code	SPDT / DPDT	Colour	Voltage	MRP (INR)
16mm Push Button Round - Illuminated 	SRE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC 26 - 2 NO + 2 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W -White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC
415 Maintained 1 NO + 1 NC						
390 Momentary 2 NO + 2 NC						
445 Maintained 2 NO + 2 NC						
16mm Push Button Square- Illuminated 	SSE03	FD - Momentary FF - Maintained	3 - 1 NO + 1 NC 26 - 2 NO + 2 NC	R - Red G - Green Y - Yellow A - Amber B - Blue W -White	024D - 24 V DC 240A - 240 V AC	350 Momentary 1 NO + 1 NC
415 Maintained 1 NO + 1 NC						
390 Momentary 2 NO + 2 NC						
445 Maintained 2 NO + 2 NC						
Protecting Shroud 	HF102101 Round Square 90 Degree Open Close Type					108
Rubber Shroud 19x19x12mm 	HF192023 Rubber Shroud for 16mm Push Button					57

* Selector Switch and Emergency Also Available

Pit Switches











Cat No.	Type of Switch	Contact	Cable Gland	Qty. of Cable Gland	Protecting Shroud	Mounting Bracket	MRP (INR)
JLFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	2	1	MS Yellow Passivation	553
JL5C0000	Mushroom Head Push Turn	1 N0 + 1 NC	PG 13.5	2	1	MS Yellow Passivation	630
JQFB0000	Mushroom Head Push Turn	1 NC	PG 13.5	1	1	NA	521
JFKE0000	Mushroom Head Push Turn	2 NC	PG 13.5	1	1	NA	598
JMJB0000	Mushroom Head Push Pull	1 NC	PG 13.5	2	NA	MS Yellow Passivation	635
JJJE0000	Mushroom Head Push Pull	2 NC	PG 13.5	1	NA	NA	680


LED Torch



Cat No.	Voltage	Cable Length	Hook	Wattage	MRP (INR)
IL24S40W240A	240V AC	2 Meter With Power Cord	With Hook	5W	1230
IL24S56W240A	240V AC	3 Meter With Power Cord	With Hook	5W	1290
IL24S22W240A	240V AC	5 Meter With Power Cord	With Hook	5W	1710
IL24S55W240A	240V AC	3 Meter With Power Cord	Without Hook	5W	1290
IL16N42W240A	240V AC	3 Meter With Power Cord	With Hook	9W	1710
IL24L52W240A	240V AC	1.5 Meter Without Power Cord	With Hook	5W	860
Charging Hand Lamp	Charging at 240V AC	NA	With Hook	9W	4200

22.5mm Connector Series			
	Name	Cat No.	MRP
RJ45 TO RJ45 	Thread CAT5e Waterproof RJ45 Coupler With Cap	IEDC1C102	840
USBA TO USBA 	Thread Waterproof USB3.0 Female To Female With Cap	IEDC2C101	1260
HDMI TO HDMI 	Thread Waterproof HDMI Female To Female With Cap	IEDC3C101	1220
RJ45 TO RJ45 WITH WIRE 	Thread RJ45 Jack To Plug With Cable Assembly, L=300mm	IEDC4C101	1470
RJ 45 TO RJ45 PCB MOUNT 	Thread Waterproof RJ45 Coupler With Cap	IEDC5C101	1370
RJ45 TO BERG PIN 	Thread Waterproof RJ45 Jack To Straight Pin Header 90°	IEDC6C101	1250
USB C TO USB C 	Thread Type-C Socket To Socket With Cap	IEDC7C101	1370
Item		Cat No.	MRP (INR)
	22.5mm Panel Mount USB Socket	IDA01AACC	970

	Voltage	Outer Diameter	Cat No.	MRP (INR)
Illuminated Legend Plate 	12 V DC	85mm	ELLRG012D	780
	24 V DC	85mm	ELLRG024D	780
Illuminated Legend Plate 	12 V DC	60mm	ELFW012D	620
	24 V DC	60mm	ELFW024D	620
	110 V AC	60mm	ELFW110A	620
	240 V AC	60mm	ELFW240A	620

Item	Cat No.	MRP (INR)
 DIN Rail Mounted Bracket for 22.5mm Push Button	HF120000A	110



Esbee Electrotech LLP

Corporate Office: S-42/1, M.I.D.C Bhosari, Pune - 411026
Plant 1: S-42/1, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.
Plant 2: J-159, M.I.D.C Bhosari, Pune - 411026, Maharashtra, India.
Plant 3: C-29, M.I.D.C Ahmednagar - 414111, Maharashtra, India.
Email: info@esbee-electrotech.com | Website: www.esbee-electrotech.com



Product catalogue
(Scan here)