



Electrical & Automation

*for
Homes*



©2025. ALL RIGHTS RESERVED

Retail Products Price List
Maximum Retail Prices Effective
from 01-10-2025

Tripaper® | enConnect® | englaze® | entice | enCurve | enGem

Contents

Pg No
03




DY MCCB

Pg No
04-19



Tripper

Pg No
20-21



enConnect




englaze

Pg No
22-31



entice

Pg No
32-43



enCurve

Pg No
44-49



enGem

Pg No
50-56



DY125U & DY250U1 MCCB

Description	Three Pole			Four Pole		
	Current Rating (A)	Cat No	MRP/Unit in ₹	Current Rating (A)	Cat No	MRP/Unit in ₹
New MCCB DY125U 16A 10kA FTFM	16	EM909830OBO	2520	16	EM909840OBO	3390
New MCCB DY125U 20A 10kA FTFM	20	EM909830OCO	2520	20	EM909840OCO	3390
New MCCB DY125U 25A 10kA FTFM	25	EM909830ODO	2520	25	EM909840ODO	3390
MCCB DY125U 32A 10kA FTFM	32	EM909830OEO	2520	32	EM909840OEO	3390
New MCCB DY125U 40A 10kA FTFM	40	EM909830OFO	2520	40	EM909840OFO	3390
New MCCB DY125U 50A 10kA FTFM	50	EM909830OGO	2520	50	EM909840OGO	3390
MCCB DY125U 63A 10kA FTFM	63	EM909830OHO	2450	63	EM909840OHO	3290
MCCB DY125U 80A 10kA FTFM With Spreader Links	80	EM909830OJO	2760	80	EM909840OJO	3800
MCCB DY125U 100A 10kA FTFM With Spreader Links	100	EM909830OKO	2760	100	EM909840OKO	3800
MCCB DY125U 125A 10kA FTFM With Spreader Links	125	EM909830OLO	4050	125	EM909840OLO	4960
New MCCB DY250U1 160A 10kA FTFM With Spreader Links	160	CM981950OMO	7270	160	CM981960OMO	9800
New MCCB DY250U1 200A 10kA FTFM With Spreader Links	200	CM981950ONO	8470	200	CM981960ONO	11000
New MCCB DY250U1 250A 10kA FTFM With Spreader Links	250	CM981950OPO	11000	250	CM981960OPO	14800

Key Features

- Conforms to IS/IEC 60947-2, IEC 60947-2 & EN 60947-2
- Range: DY125U- 16A to 125A, 3P/4P
DY250U1- 160A to 250A, 3P/4P
- Ics=100% of Icu
- High Electrical & Mechanical life
- Thermal Magnetic Release: FTFM - Fixed Thermal Fixed Magnetic
- No Load-Line Bias
- ON-TRIP-OFF indication
- Suitable for Isolation
- Common SS enclosure for 3P & 4P

Std Packing of all Cat nos – 1 no

ACCESSORIES

Description	Std Pack	Cat No	MRP/Unit in ₹
SPREADER TERMINALS- 3P -DY125U	Set of 6	CM977850000	495
SPREADER TERMINALS- 4P -DY125U	Set of 8	CM979210000	775
Auxiliary/Trip Alarm Contact- 1 C/o - DY125U	1	EM909660000	745
Shunt Release- 110V/240V/415V AC - DY125U	1	EM905200M00	1005
DIRECT ROH- DY125U	1	EM909690000	1500
EXTENDED ROH- DY125U	1	EM909700000	2160
Under Voltage Release - 240V AC- DY125U	1	EM90518B000	3050
Size I ENCLOSURE FOR DY125U MCCBs	1	CM909960000	2570
New Auxiliary Contact- 1 C/O - DY250U1	1	CM978860000	1230
New Auxiliary Contact- 2 C/O - DY250U1	1	CM978870000	2170
New Trip Alarm Contact- 1 C/O - DY250U1	1	CM978880000	1230
New Trip Alarm Contact- 2 C/O - DY250U1	1	CM978890000	2170
New Auxiliary/Trip Alarm Contact- 1 C/o - DY250U1	1	CM978900000	2090
New Shunt Release- 24V DC - DY250U1	1	CM914020400	2430
New Shunt Release- 110V AC - DY250U1	1	CM978830A00	2430
New Shunt Release- 240V/415V AC - DY250U1	1	CM978830M00	2430
New Under Voltage Release - 240V AC- DY125U	1	CM97892B000	4030
New DIRECT ROH- DY250U1	1	CM980400000	1680
New EXTENDED ROH- DY250U1	1	CM980410000	2160
New Size II ENCLOSURE FOR DY250U1 MCCBs	1	CM910030000	5900

Tripper®

**Lauritz
Knudsen**

Electrical & Automation



Keeping your loved ones
and appliances safe, always.




World Class Safety Standards

Tripper products conform to relevant global standards viz., IEC, EN and IS. They also have CE/ISI marking and DEKRA certification.



Safety Redefined

Finger proof terminals eliminate chances of accidental contact with live parts. You can install, operate and maintain tripper with total confidence.



Energy Limiting Class - 3

If fault occurs, the rapid arc quenching mechanism operates and extinguishes the arc quickly, ensuring lowest possible energy flow through the circuit. This minimizes risk of fire and maximizes life of your equipment.




Safety Meets Superior Aesthetics

Ergonomically designed, profiled for superior cooling and manufactured with fire retardant material. Tripper offers user safety combined with elegance.




True Contact Indication

Tripper range enhances safety through true contact indication even from a distance regardless of it's knob position. Red and Green indication flag positively identifies the electrical ON/OFF status.




Innovatively Profiled Breathing Channels

When two or more poles are placed adjacent to each other, the breathing channels are so profiled that the air circulates around individual pole, resulting in cooler operation, year after year.




Large Terminal Size & Biconnect

Tripper can easily accommodate cables of up to 35 sq.mm. Biconnect terminals offer convenience of connecting both cable and bus bar.




Two Position DIN Rail Clip

Installation on a DIN rail is further simplified with a two position DIN rail clip as a standard feature. Tripper range makes mounting on a standard DIN rail more convenient.



Non-Welding Contacts

Silver Graphite contact tips ensure higher life and maximum safety against contact welding due to it's superior anti-welding properties, enhancing safety and life of the system.



Combihead Screw

Tripper range of products provided with combihead screws allow you to use standard as well as Phillips screwdrivers, offering flexibility.



HIGHLIGHTS

- marked, marked
- Conforms to IS/IEC 60898 - 6 kA
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Energy saving - watt loss approximately 50% lower than those prescribed by IEC standard
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



MINIATURE CIRCUIT BREAKERS (MCBs) - B CURVE



Description	Single Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A B Curve	1	BA10060B	211	1/12
10A B Curve	1	BA10100B	211	1/12
16A B Curve	1	BA10160B	211	1/12
20A B Curve	1	BA10200B	211	1/12
25A B Curve	1	BA10250B	211	1/12
32A B Curve	1	BA10320B	211	1/12
40A B Curve	1	BA10400B	500	1/12

MINIATURE CIRCUIT BREAKERS (MCBs) - C CURVE

Description	Single Pole				Double Pole				Three Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A C Curve	1	BA10060C	211	1/12	2	BA20060C	790	1/6	3	BA30060C	1330	1/4	4	BA40060C	1735	1/3
10A C Curve	1	BA10100C	211	1/12	2	BA20100C	790	1/6	3	BA30100C	1330	1/4	4	BA40100C	1735	1/3
16A C Curve	1	BA10160C	211	1/12	2	BA20160C	790	1/6	3	BA30160C	1330	1/4	4	BA40160C	1735	1/3
20A C Curve	1	BA10200C	211	1/12	2	BA20200C	790	1/6	3	BA30200C	1330	1/4	4	BA40200C	1735	1/3
25A C Curve	1	BA10250C	211	1/12	2	BA20250C	790	1/6	3	BA30250C	1330	1/4	4	BA40250C	1735	1/3
32A C Curve	1	BA10320C	211	1/12	2	BA20320C	790	1/6	3	BA30320C	1330	1/4	4	BA40320C	1735	1/3
40A C Curve	1	BA10400C	500	1/12	2	BA20400C	1165	1/6	3	BA30400C	1915	1/4	4	BA40400C	2305	1/3
63A C Curve	1	BA10630C	555	1/12	2	BA20630C	1295	1/6	3	BA30630C	2055	1/4	4	BA40630C	2450	1/3



*Module Width: 1 Mod = 17.5 mm

HIGHLIGHTS

- marked, marked
- Conforms to IS 12640 - 1, IEC 61008-1
- Available in DP & FP versions from 25A to 63A ratings with 30mA, 100mA & 300mA sensitivity
- Operates on Core Balance Current Transformer (CBCT) principle
- Finger proof IP20 terminals



RESIDUAL CURRENT CIRCUIT BREAKERS (RCCBS/ELCBS)

Description	Double Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
25A 30mA	2	BC202503	2765	1	4	BC402503	3630	1
25A 100mA	2	BC202510	2865	1	4	BC402510	3695	1
25A 300mA	2	BC202530	2865	1	4	BC402530	3695	1
40A 30mA	2	BC204003	3055	1	4	BC404003	3685	1
40A 100mA	2	BC204010	3090	1	4	BC404010	3760	1
40A 300mA	2	BC204030	3090	1	4	BC404030	3760	1
63A 30mA	2	BC206303	3905	1	4	BC406303	4100	1
63A 100mA	2	BC206310	3955	1	4	BC406310	4160	1
63A 300mA	2	BC206330	3955	1	4	BC406330	4160	1

HIGHLIGHTS

- marked
- Conforms to IEC 60947 - 3
- Higher life with use of heavy duty contacts
- Innovatively designed breathing channels between poles ensure cooler operation
- Manufactured with high quality fire retardant material
- True contact indication for enhanced safety



ISOLATORS

Description	Double Pole				Three Pole				Four Pole			
	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
40A Isolator	2	BE204000	505	1/6	3	BE304000	875	1/4	4	BE404000	1130	1/3
63A Isolator	2	BE206300	630	1/6	3	BE306300	1000	1/4	4	BE406300	1170	1/3
100A Isolator	2	BE210000	855	1/6	3	BE310000	1185	1/4	4	BE410000	1415	1/3



*Module Width: 1 Mod = 17.5 mm

HIGHLIGHTS

- CE marked
- Conforms to IEC 60947-6, IEC 60947-3
- Wide Range of Current Ratings
 - Generator Side - 1.5A to 30A
 - Electricity Board Side - 30A
- No. of Poles 1P+N, for single phase applications
- Protection Degree - IP20
- Reliable microcontroller based design for sensing & control
- Lower power consumption
- RoHS compliant



AUTOMATIC CHANGEOVER WITH CURRENT LIMITER(ACCL)

Description EB/DG	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
30A/1.5A	4	BCL010301E5	2125	1
30A/2.5A	4	BCL010302E5	2125	1
30A/3A	4	BCL01030003	2125	1
30A/4A	4	BCL01030004	2125	1
30A/5A	4	BCL01030005	2125	1
30A/6A	4	BCL01030006	2125	1
30A/8A	4	BCL01030008	2125	1
30A/10A	4	BCL01030010	2125	1
30A/12A	4	BCL01030012	2125	1
30A/15A	4	BCL01030015	2125	1
30A/20A	4	BCL01030020	2125	1
30A/30A#	4	BCL01030030	2125	1

#Non current limiting variant

HIGHLIGHTS

- Settable overload current limit at DG side
- Separate power consumption monitoring for Mains & Genset
- Settable overvoltage & undervoltage protection
- Settable TPN or SPN mode at DG side
- Protection against single phasing

For 3 Phase ACCL programming video please scan the QR code or click here



THREE PHASE AUTOMATIC CHANGEOVER WITH CURRENT LIMITER (3PH ACCL) **NEW**



Description (AC-1) EB/DG	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
32A / 32A	AUCL03032032	12295	1
40A / 32A	AUCL03040032	12670	1
40A / 40A	AUCL03040040	13715	1
50A / 50A	AUCL03050050	19545	1
63A / 50A	AUCL03063050	21570	1
63A / 63A	AUCL03063063	24430	1
80A / 80A	AUCL03080080	37235	1
125A / 125A	AUCL03125125	62680	1

HIGHLIGHTS

- Conforms to IEC 60947-3
- Available with 3 positions (I-O-II) with centre off position
- Utilization category AC-22A



MODULAR CHANGEOVER SWITCHES

Double Pole					Four Pole				
Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)	Description	MW*	Cat No	MRP/Unit in ₹	Std. Pkg. (Nos.)
25A	2	AUC00202500	1795	1	40A	4	AUC00404000	4730	1
40A	2	AUC00204000	2745	1	63A	6	AUC00406300	5365	1
63A	3	AUC00206300	3195	1					

*Module Width: 1 Mod = 17.5 mm



HIGHLIGHTS

- marked, marked
- Conforms to IS 12640-2, IEC 61009-1, EN 61009-1
- Short Circuit Breaking Capacity - 10kA
- Wide range of current ratings - 6A to 100A
- Suitable for Isolation
- Safety Shutter
- Line-load Reversibility
- True Position Indication
- Trip-free Mechanism
- Easy fault identification -
 1. Short Circuit fault Indication :
Clear indication by amber coloured flag
 2. Earth Leakage Fault Indication :
Clear indication by yellow coloured flag



RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION (RCBOs)

NEW

Double Pole

Description	MW*	Cat No (30 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (100 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (300 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)
6A 2P RCBO	2	AUF3C200603	5405	1	2	AUF3C200610	5515	1	2	AUF3C200630	5580	1
10A 2P RCBO	2	AUF3C201003	5405	1	2	AUF3C201010	5515	1	2	AUF3C201030	5580	1
16A 2P RCBO	2	AUF3C201603	5405	1	2	AUF3C201610	5515	1	2	AUF3C201630	5580	1
20A 2P RCBO	2	AUF3C202003	5405	1	2	AUF3C202010	5515	1	2	AUF3C202030	5580	1
25A 2P RCBO	2	AUF3C202503	5405	1	2	AUF3C202510	5515	1	2	AUF3C202530	5580	1
32A 2P RCBO	2	AUF3C203203	5405	1	2	AUF3C203210	5515	1	2	AUF3C203230	5580	1
40A 2P RCBO	2	AUF3C204003	5405	1	2	AUF3C204010	5515	1	2	AUF3C204030	5580	1
63A 2P RCBO	4	AUF3C206303	6415	1	4	AUF3C206310	6805	1	4	AUF3C206330	6860	1

RESIDUAL CURRENT CIRCUIT BREAKER WITH OVER CURRENT PROTECTION (RCBOs)

NEW

Four Pole

Description	MW*	Cat No (30 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (100 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)	MW*	Cat No (300 mA)	MRP/Unit in ₹	Std. Pkg. (Nos.)
C16A 4P RCBO	7.5	AUF3C401603	5800	1	7.5	AUF3C401610	6460	1	7.5	AUF3C401630	6590	1
C20A 4P RCBO	7.5	AUF3C402003	5800	1	7.5	AUF3C402010	6460	1	7.5	AUF3C402030	6590	1
C25A 4P RCBO	7.5	AUF3C402503	5800	1	7.5	AUF3C402510	6460	1	7.5	AUF3C402530	6590	1
C32A 4P RCBO	7.5	AUF3C403203	5990	1	7.5	AUF3C403210	6465	1	7.5	AUF3C403230	6605	1
C40A 4P RCBO	7.5	AUF3C404003	6085	1	7.5	AUF3C404010	6465	1	7.5	AUF3C404030	6625	1
C63A 4P RCBO	7.5	AUF3C406303	7290	1	7.5	AUF3C406310	7425	1	7.5	AUF3C406330	7425	1
C80A 4P RCBO	12	AUF3C408003	27740	1	12	AUF3C408010	28360	1	12	AUF3C408030	28360	1
C100A 4P RCBO	12	AUF3C410003	29655	1	12	AUF3C410010	30365	1	12	AUF3C410030	30365	1



*Module Width: 1 Mod = 17.5 mm
Note: CB9000----O' Cat. Nos. of ELMCBs range are discontinued.

Trip  *box NXT*



Electrical & Automation

Smart protection for
safer homes.

Designed for Safety Styled for You



Curved Door
Adds a stylish touch



Over-the-frame Design
Delivers higher protection



Uniform Gasketing
Ensures press protection

SPN DISTRIBUTION BOARDS

- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings



SPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	DTSPN004DD	1705	DTSPN004GD	2245
6-Way	2	4	DTSPN006DD	2000	DTSPN006GD	2400
8-Way	2	6	DTSPN008DD	2125	DTSPN008GD	2620
12-Way	2	10	DTSPN012DD	2555	DTSPN012GD	3180
16-Way	2	14	DTSPN016DD	3200	DTSPN016GD	3930

TPN DISTRIBUTION BOARDS

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoings



TPN DISTRIBUTION BOARDS

NEW

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	DTTPN004DD	4220	DTTPN004GD	5510
6-Way	8	6+6+6	DTTPN006DD	5265	DTTPN006GD	6835
8-Way	8	8+8+8	DTTPN008DD	6295	DTTPN008GD	8175
12-Way	8	12+12+12	DTTPN012DD	9365	DTTPN012GD	12515

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoings



HORIZONTAL PPI (PER PHASE ISOLATION) DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	DTHPI004DD	6980
6-Way	8	2+2+2	6+6+6	DTHPI006DD	8365
8-Way	8	2+2+2	8+8+8	DTHPI008DD	9975
12-Way	8	2+2+2	12+12+12	DTHPI012DD	13590

PHASE SEGREGATED DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



PHASE SEGREGATED DBs

NEW

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	DTPSG004DD	10995
6-Way	8	4+4+4	6+6+6	DTPSG006DD	12415
8-Way	8	4+4+4	8+8+8	DTPSG008DD	13860
12-Way	8	4+4+4	12+12+12	DTPSG012DD	17490

PHASE SELECTOR DBs

- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



PHASE SELECTOR DBs*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTPSR004DD	13105
6-Way	8	6+6+6	DTPSR006DD	13420
8-Way	8	8+8+8	DTPSR008DD	14230
12-Way	8	12+12+12	DTPSR012DD	15965

VTPN DBs WITH MODULAR INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



VTPN DBs WITH MODULAR INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	DTVMT004DD	10110
6-Way	8	6+6+6	DTVMT006DD	11620
8-Way	8	8+8+8	DTVMT008DD	13485
12-Way	8	12+12+12	DTVMT012DD	17845

VTPN DBs WITH MCCB INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



VTPN DBs WITH MCCB INCOMER

NEW

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	DTVTL004DD	12065
6-Way	MCCB	6+6+6	DTVTL006DD	14120
8-Way	MCCB	8+8+8	DTVTL008DD	15335
12-Way	MCCB	12+12+12	DTVTL012DD	19830

ENCLOSURES

- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

ENCLOSURES

NEW

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	DTENC002SD	500
3-Way	3	DTENC003SD	560
4-Way	4	DTENC004SD	560
6-Way	6	DTENC006SD	845

PLUG & SOCKET DBs

- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs



Single Door

PLUG & SOCKET DBs

NEW

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	DTMPS110SD	1270
20A, 2 Pin+SC^	P+N	1	DTMPS120SD	1355
20A, 2 Pin+SC^	P+N	2	DTMPS220SD	1480
32A, 3 Pin+SC^	3P	3	DTMPS332SD	3505

SC^ - Scrapping Earth

METAL PLUG & SOCKET

- Designed to ensure safe functioning of electrical equipment and the user safety
- Plugs & Sockets find its applications at air conditioners, welding machines, industrial equipment, etc., are made of non corrosive aluminum alloy
- Conforms to IS 8804



METAL PLUG & SOCKET

Description	No. of Pins	Cat No	MRP/Unit in ₹
Metal Plug			
10A, 2 Pin+SC^	P+N	MPS210P	255
20A, 2 Pin+SC^	P+N	MPS220P	270
20A, 3 Pin+SC^	3P	MPS320P	355
32A, 3 Pin+SC^	3P	MPS332P	675
Metal Socket			
10A, 2 Pin+SC^	P+N	MPS210S	265
20A, 2 Pin+SC^	P+N	MPS220S	290
20A, 3 Pin+SC^	3P	MPS320S	400
32A, 3 Pin+SC^	3P	MPS332S	675

SC^ - Scrapping Earth

Note: Standard Pack Quantity for Metal Plug & Socket - 20 Nos.

VALUE + STYLE

The Tripbox PLUS range of Distribution Boards offer the perfect blend of aesthetics and value. Crafted for modern homes, its features ensure ease of installation, enhanced safety and protection with a dash of style.



SAFETY WITH STYLE

Options for flush and surface mounting


Powder - coated, matte finish - RAL9003

Insulated Busbar



As per IS 8623 Standards

Shrouded neutral bars to avoid accidental contact with live parts




EASE OF INSTALLATION

Reversible door for double door Distribution Boards to adapt to site conditions



More space for ease of wiring




PROTECTION FROM DAMAGE

CRCA sheet steel for extra durability

Plastic corners for corner protection




Cement spill protector - To protect DB interior from cement splashes during civil work



SPN DISTRIBUTION BOARDS

- Available in 4, 6, 8, 12 & 16 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bar, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for DP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



SPN DISTRIBUTION BOARDS*

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	2	2	PH104DDB	1705	PH104DDG	2245
6-Way	2	4	PH106DDB	2000	PH106DDG	2400
8-Way	2	6	PH108DDB	2125	PH108DDG	2620
12-Way	2	10	PH112DDB	2555	PH112DDG	3180
16-Way	2	14	PH116DDB	3200	PH116DDG	3930

TPN DISTRIBUTION BOARDS

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- Choice of metal and glazed door
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



TPN DISTRIBUTION BOARDS*

Description	Modules		Double Door	MRP/Unit in ₹	Double Door - Glazed	MRP/Unit in ₹
	Incomer	Outgoing				
4-Way	8	4+4+4	PH304DDB	4220	PH304DDG	5510
6-Way	8	6+6+6	PH306DDB	5265	PH306DDG	6835
8-Way	8	8+8+8	PH308DDB	6295	PH308DDG	8175
12-Way	8	12+12+12	PH312DDB	9365	PH312DDG	12515

HORIZONTAL PPI (PER PHASE ISOLATION) DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



HORIZONTAL PPI (PER PHASE ISOLATION) DBs*

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	2+2+2	4+4+4	PHP304DDB	6980
6-Way	8	2+2+2	6+6+6	PHP306DDB	8365
8-Way	8	2+2+2	8+8+8	PHP308DDB	9975
12-Way	8	2+2+2	12+12+12	PHP312DDB	13590

*These DBs are available till stock last.

PHASE SEGREGATED DBs

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator as incomer, DP RCCB/RCBO as sub-incomer and SP MCBs as outgoing



Double Door

PHASE SEGREGATED DBs*

Description	Modules			Double Door	MRP/Unit in ₹
	Incomer	Sub-Incomer	Outgoing		
4-Way	8	4+4+4	4+4+4	PHS304DDB	10995
6-Way	8	4+4+4	6+6+6	PHS306DDB	12415
8-Way	8	4+4+4	8+8+8	PHS308DDB	13860
12-Way	8	4+4+4	12+12+12	PHS312DDB	17490

PHASE SELECTOR DBs

- Available in 4, 6, 8 & 12 way
- Provided with 63A Selector Switches
- Ready to use DBs, complete with colour - coded wire set, 100A insulated bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP MCBs as outgoing



Double Door

PHASE SELECTOR DBs*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHC04DDB	13795
6-Way	8	6+6+6	PHC06DDB	14125
8-Way	8	8+8+8	PHC08DDB	14980
12-Way	8	12+12+12	PHC12DDB	16805

VTPN DBs WITH MODULAR INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for FP MCB/Isolator/RCCB/RCBO as incomer and SP/TP MCBs as outgoing



Double Door

VTPN DBs WITH MODULAR INCOMER*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	8	4+4+4	PHV304DDB	10110
6-Way	8	6+6+6	PHV306DDB	11620
8-Way	8	8+8+8	PHV308DDB	13485
12-Way	8	12+12+12	PHV312DDB	17845

VTPN DBs WITH MCCB INCOMER

- Available in 4, 6, 8 & 12 way
- Ready to use DBs, complete with colour - coded wire set, Insulated vertical phase bus bars, Neutral bar/s with shroud/s, Earth bar/s, Cement Spill Protector, Cable ties, Blanking plates and Circuit identification label
- With provision for MCCB as incomer and SP/TP MCBs as outgoing
- Suitable for 3P/4P MCCB as incomer upto 125A - DY125U



Double Door

VTPN DBs WITH MCCB INCOMER*

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4-Way	MCCB	4+4+4	PHV304DYM	12065
6-Way	MCCB	6+6+6	PHV306DYM	14120
8-Way	MCCB	8+8+8	PHV308DYM	15335
12-Way	MCCB	12+12+12	PHV312DYM	19830

*These DBs are available till stock last.

ENCLOSURES

- Available in 2, 3, 4 & 6 way
- With provision to mount MCB/Isolator/RCCB/RCBO or other modular devices



Single Door

ENCLOSURES*

Description	Modules	Single Door	MRP/Unit in ₹
2-Way	2	PHE02DB	500
3-Way	3	PHE03DB	560
4-Way	4	PHE04DB	560
6-Way	6	PHE06DB	845

PLUG & SOCKET DBs

- SPN 10A & 20A; TPN - 32A
- With provision to mount MCBs/RCCBs




Single Door

PLUG & SOCKET DBs*

Description	No. of Pins	Modules	Single Door	MRP/Unit in ₹
10A, 2 Pin+SC^	P+N	1	PMP110DB	1270
20A, 2 Pin+SC^	P+N	1	PMP120DB	1355
20A, 2 Pin+SC^	P+N	2	PMP220DB	1480
32A, 3 Pin+SC^	3P	3	PMP332DB	3505

SC^ - Scrapping Earth

*These DBs are available till stock last.



Single Door

Double Door

HIGHLIGHTS

- Ready to use DBs, complete with colour - coded wire set, 100A bus bar, Neutral bar/s & Earth bar/s
- Superior quality powder coating for better looks and longer life
- DB is suitable for surface or flush mounting



Double Door



Double Door

SINGLE PHASE NEUTRAL (SPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	2	2	BH104SDB	950	BH104DDB	1520
6 way	2	4	BH106SDB	1045	BH106DDB	1710
8 way	2	6	BH108SDB	1180	BH108DDB	1865
12 way	2	10	BH112SDB	1570	BH112DDB	2275
16 way	2	14	BH116SDB	1955	BH116DDB	2800

THREE PHASE NEUTRAL (TPN) DBs

Description	Modules		Single Door	MRP/Unit in ₹	Double Door	MRP/Unit in ₹
	Incomer	Outgoing				
4 way	8	4+4+4	BH304SDB	2945	BH304DDB	3805
6 way	8	6+6+6	BH306SDB	3640	BH306DDB	4675
8 way	8	8+8+8	BH308SDB	4205	BH308DDB	5670
12 way	8	12+12+12	BH312SDB	5965	BH312DDB	8155

PHASE SELECTOR DBs

Description	Modules		Double Door	MRP/Unit in ₹
	Incomer	Outgoing		
4 way	8	4+4+4	BHC04DDB	11980
6 way	8	6+6+6	BHC06DDB	12510

Provided with 40A selector switches

We make more than switches.
We make your moments.



enConnect[®]


enConnect - Home Automation for a
Smarter Lifestyle from Lauritz Knudsen
#MadeForMoments



CB94702SM20




CB94602DM00




CB94602SM04




CB94602SB02



CB94602CB00



CB94602FB00



CB94602SB00

Key Features - what sets enConnect apart



Smart Lighting

Adjust brightness with a tap or voice command



Data and Cybersecurity

Operate in secure systems, PEN test to ensure compliance with DPDP ACT 2023



Energy Management

Track and optimize energy usage



Touch, App and Voice Control

Works with Mobile App, Alexa, Google Assistant, and feather touch



Retrofit & Modular solution



Fits in any type of homes existing / new. Expandable system, flexibility to design



Easy Installation

No need to change existing wires/ mounting boxes, Retrofit solutions, No gateway required

- Conforms to IEC 60669 Part 1 & 2
- Light dimmer suitable for Trailing Edge phase cut LED dimmable driver
- Fan Regulators also suitable for BLDC fan without remote
- All enConnect switches are suitable with englaze plates
- For more details, please refer technical catalogue




ENCONNECT WIFI SWITCHES

COMING SOON

Description	Std Pack	Mountain Grey		Sparkle Black		Black glass	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Wi-fi Switch 2 Channel	1	CB94602SM02	7500	CB94602SB02	7500	CB94602SL02	7900
Wi-fi Switch 4 Channel	1	CB94602SM04	9500	CB94602SB04	9500	CB94602SL04	9900
Wi-fi Switch 20A for Power Load	1	CB94602SM20	9500	CB94602SB20	9500	CB94602SL20	9900
New Wi-fi Switch 20A for Power Load with energy monitoring	1	CB94702SM20	9700	CB94702SB20	9700	CB94702SL20	10100
Wi-fi Fan Regulator 5 Step	1	CB94602FM00	9500	CB94602FB00	9500	CB94602FL00	9900
Wi-fi Light Dimmer 5 Step	1	CB94602DM00	9500	CB94602DB00	9500	CB94602DL00	9900
Wi-fi Curtain Controller	1	CB94602CM00	9500	CB94602CB00	9500	CB94602CL00	9900
Wi-fi Scene Controller	1	CB94602SM00	9500	CB94602SB00	9500	CB94602SL00	9900



We make more than switches.
We make your moments.



englaze

englaze - Luxurious and innovative
switches from Lauritz Knudsen
#MadeForMoments



ANTI-BACTERIAL

No need to keep disinfecting your switches. No one can tarnish the silver infused Englaze range that stays anti-bacterial forever.



FABULOUSLY FLAT LOOK

Englaze is designed to look flat from every angle. With super thin plates and carefully crafted switches, these don't bulge or clutter, they just stay pretty.



ENERGY MONITORING

Monitor and optimize energy usage of your heavy-duty appliances with our smart enConnect Power Switch



REAL MATERIAL PLATES

Real Material Plates are meticulously crafted from authentic, high-quality materials such as genuine wood, metal alloys and premium glass. Choose from various finishes, textures, and colours to create a truly personalized statement.



BEAUTIFULLY BRIDGELESS

Our design philosophy allows no room for gaps. Every element seamlessly flows into the next like a well written poem.



SAFETY SHUTTERS

Go ahead and let your children be mischievous. Every socket is carefully designed with safety shutters to keep them safe.



WIFI SWITCHES

Control your home with touch, mobile app or voice command with our enConnect home automation solution



TESTED FOR INTERNATIONAL STANDARD

Your safety is our top priority. englaze products undergo rigorous testing to meet safety standards, ensuring your peace of mind while using them in your home or workspace.



SOFT FEEL SWITCHES

Welcome home the silent beauty. Nothing can disturb you, not even a toggling of switches with englaze soft feel switches.



QUICK CHARGING

No need to wait any longer to charge your devices. With USB type A and USB type C charging solutions you can charge your devices faster and safer.



INDICATIVE REGULATORS

Don't worry about fumbling with the regulators anymore, these beauties come with indicators that tell you exactly what speed its on. Plus, its so pretty!



FLAT DESIGN FAN REGULATOR

Flat Fan regulator design concept to compliment the flat design philosophy of englaze range.




SOFT FEEL SWITCHES - 1 MODULE WITH

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB92601SW10	215	CB92601SM10	246	CB92601SB10	246
Switch 10AX 1-way with Indicator 1M	20	CB92801SW10	411	CB92801SM10	516	CB92801SB10	516
Switch 10AX 2-way 1M	20	CB92701SW10	392	CB92701SM10	487	CB92701SB10	487
Switch 16AX 1-way 1M	20	CB92601SW16	416	CB92601SM16	519	CB92601SB16	519
Switch 16AX 1-way with Indicator 1M	20	CB92801SW16	499	CB92801SM16	625	CB92801SB16	625
Switch 16AX 2-way 1M	20	CB92701SW16	499	CB92701SM16	625	CB92701SB16	625
Switch 25A 1-way 1M	20	CB92601SW25	573	CB92601SM25	712	CB92601SB25	712
Switch 25A 1-way with Indicator 1M	20	CB92801SW25	693	CB92801SM25	866	CB92801SB25	866

KEY FEATURES

- Designed For Silent Operation
- Soft Feel Switches
- Flat Aesthetic
- Robust Design For Longer Life
- Double rocker system for smooth operations
- 4 part design to reduce switching sound
- Heavy Duty Terminals
- Available in Snow White and Mountain Grey Colour

- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp



Inside View of Switch



CB92102SW10
CB92102SW16
CB92102SW20



CB92402SW20
CB92402SW32
CB92302SW10
CB92302SW16
CB92302SW20



CB92102SM10
CB92102SM16
CB92102SM20



CB92402SM20
CB92402SM32
CB92302SM10
CB92302SM16
CB92302SM20



CB92601BW10



CB92801BW10



CB92102BW10



CB92302BW10



CB92601BM10




CB92801BM10



CB92102BM10



CB92302BM10



CB92102MW25



CB92102MM25

SWITCHES - 2 MODULE (MEGA SWITCHES) WITH

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 20A DP with Indicator 2M	10	CB92402SW20	847	CB92402SM20	1062	NA	
Switch 32A DP with Indicator 2M	10	CB92402SW32	1014	CB92402SM32	1268	CB92402SB32	1268
Switch 10AX 1-way 2M	10	CB92102SW10	351	CB92102SM10	439	NA	
Switch 10AX 1-way with Indicator 2M	10	CB92302SW10	469	CB92302SM10	591	NA	
Switch 10AX 2-way 2M	10	CB92202SW10	424	CB92202SM10	533	NA	
Switch 16AX 1-way 2M	10	CB92102SW16	524	CB92102SM16	654	NA	
Switch 16AX 1-way with Indicator 2M	10	CB92302SW16	631	CB92302SM16	789	NA	
Switch 16AX 2-way 2M	10	CB92202SW16	601	CB92202SM16	751	NA	
Switch 20A 1-way 2M	10	CB92102SW20	653	CB92102SM20	816	NA	
Switch 20A 1-way with Indicator 2M	10	CB92302SW20	789	CB92302SM20	987	NA	
Switch 20A 2-way 2M	10	CB92202SW20	751	CB92202SM20	940	NA	

BELL PUSH WITH

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Soft Feel Bell Push 10AX 1-way 1M	20	CB92601BW10	408	CB92601BM10	511	CB92601BB10	511
Soft Feel Bell Push 10AX 1-way with Ind 1M	20	CB92801BW10	471	CB92801BM10	588	CB92801BB10	588
Bell Push 10AX 2M	10	CB92102BW10	505	CB92102BM10	629	CB92102BB10	629
Bell Push 10AX with Indicator 2M	10	CB92302BW10	576	CB92302BM10	723	CB92302BB10	723

MOTOR STARTER

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB92102MW25	1534	CB92102MM25	1917	CB92102MB25	1917

- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- Suitable for Self Ballast Lamp

- "AX" rating for switches are suitable to fluorescent lights also.



CB92602CW06



CB92302CW16



CB92602CM06



CB92302CM16

- 6A 3 Pin , 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- **6A/16A Sockets also tested upto 25A rating.**

POWER SOCKETS WITH

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB92602CW06	349	CB92602CM06	416	CB92602CB06	416
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB92302CW16	602	CB92302CM16	684	CB92302CB16	684

FAN REGULATORS & DIMMERS

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB92101DW04	1174	CB92101DM04	1467	CB92101DB04	1467
Fan Regulator 4-Step 80W 1M	10	CB92101RW01	1000	CB92101RM01	1251	CB92101RB01	1251
Fan Regulator 5-Step 120W with ISI 2M	5	CB92102RW02	1297	CB92102RM02	1621	CB92102RB02	1621
Fan Regulator 5-Step Flat Type 120W with ISI 2M	5	CB92202RW02	1199	CB92202RM02	1499	CB92202RB02	1499



CB92101DM04



CB92101RM01



CB92102RM02



CB92202RM02

- 5 step fan regulator conforms to IS 11037: 2019 and comes with "flag indicator".
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan Regulators also suitable for BLDC fan without remote.



CB92101TW11 CB92301TW45 CB92101TW00



CB92101TM11 CB92301TM45 CB92101TM00

- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.

DATA SOCKETS

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB92101TW11	351	CB92101TM11	439	CB92101TB11	439
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB92301TW45	1259	CB92301TM45	1570	CB92301TB45	1570
TV Socket 1M	20	CB92101TW00	342	CB92101TM00	427	CB92101TB00	427



CB92101AW00 CB92102LW00 CB92101AW02



CB92401AW00 CB92402AW00 CB92101AW18 CB92201AM18

- USB charger conforms to IS 13252(Part1)
- Electronic ding-dong bell is suitable for small rooms/cabins etc.

ACCESSORIES

Description	Std Pack	Snow White		Mountain Grey		Sparkle Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB92102AW00	805	CB92102AM00	980	CB92102AB00	980
Cable Outlet 1M	20	CB92101AW00	273	CB92101AM00	333	CB92101AB00	333
Blank off unit 1M	20	CB92201AW00	71	CB92201AM00	86	CB92201AB00	86
LED Foot Light 2M	5	CB92102LW00	1619	CB92102LM00	1976	CB92102LB00	1976
USB Charger - 2A 1M	10	CB92101AW02	1984	CB92101AM02	2762	CB92101AB02	2762
USB Type A Quick Charger 18W 1M	10	CB92101AW18	2550	CB92101AM18	2850	CB92101AB18	2850
USB Type C PD Charger 18W 1M	10	CB92201AW18	3350	CB92201AM18	3650	CB92201AB18	3650
LED Phase Indicator 1M - Full Glow	20	CB92401AW00	453	Same as White		Same as White	
Electronic Ding Dong Bell 2M	10	CB92402AW00	1273	CB92402AM00	1590	CB92402AB00	1590



CB92202HW20
CB92302HW32

CB92302HW00

CB92403HW20



CB92502HW10

CB92602HW10



CB92101KW06
CB92101KW10
CB92101KW16
CB92101KW20
CB92101KW25
CB92101KW32

CB92202KW25
CB92202KW32



CB92101KM06
CB92101KM10
CB92101KM16
CB92101KM20
CB92101KM25
CB92101KM32

CB92202KM25
CB92202KM32

HOSPITALITY RANGE

		Snow White		Mountain Grey		Sparkle Black	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
Mech key tag switch 20A 2M	5	CB92202HW20	1319	CB92202HM20	1650	CB92202HB20	1650
Mech Key Tag Switch 32A 2M	5	CB92302HW32	1493	CB92302HM32	1867	CB92302HB32	1867
Spare Key for Mech Key Tag	10	CB92302HW00	129	CB92302HM00	144	CB92302HB00	144
Electronic Key Tag 20A 3M	2	CB92403HW20	5886	CB92403HM20	7356	CB92403HB20	7356
DND-MMR Inside Room Unit 2M	10	CB92502HW10	1361	CB92502HM10	1702	CB92502HB10	1702
DND-MMR Outside Room Unit 2M	10	CB92602HW10	966	CB92602HM10	1207	CB92602HB10	1207

MINI MCBs WITH LED INDICATOR

		Snow White		Mountain Grey		Sparkle Black	
Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA	10	CB92101KW06	635	CB92101KM06	740	CB92101KB06	740
10A SP Mini MCB 3 kA	10	CB92101KW10	635	CB92101KM10	740	CB92101KB10	740
16A SP Mini MCB 3 kA	10	CB92101KW16	635	CB92101KM16	740	CB92101KB16	740
20A SP Mini MCB 3 kA	10	CB92101KW20	635	CB92101KM20	740	CB92101KB20	740
25A SP Mini MCB 3 kA	10	CB92101KW25	635	CB92101KM25	740	CB92101KB25	740
32A SP Mini MCB 3 kA	10	CB92101KW32	635	CB92101KM32	740	CB92101KB32	740
25A DP Mini MCB 3 kA	5	CB92202KW25	1277	CB92202KM25	1477	CB92202KB25	1477
32A DP Mini MCB 3 kA	5	CB92202KW32	1277	CB92202KM32	1477	CB92202KB32	1477

• Mechanical & electronic key tags are modular type.



Mocha Wood



Beige Wood



Oak Wood



Metallic Gold



Brush Silver



Jet Black

- All wooden, glass and metal plates are supplied without grid frames.
- Customers need to order the grid plates separately.
- Being Natural Wood, color and texture may have variations in supplied wooden plates.

WOOD PLATES WITHOUT GRID FRAMES

Description	Std Pack	Mocha Wood		Beige Wood		Oak Wood	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FM04	2161	CB92101FB04	2161	CB92101FW04	2161
2 Module Cover Plate	1/10	CB92102FM04	2394	CB92102FB04	2394	CB92102FW04	2394
3 Module Cover Plate	1/10	CB92103FM04	2842	CB92103FB04	2842	CB92103FW04	2842
4 Module Cover Plate	1/10	CB92104FM04	3054	CB92104FB04	3054	CB92104FW04	3054
6 Module Cover Plate	1/10	CB92106FM04	3251	CB92106FB04	3251	CB92106FW04	3251
8 Module Cover Plate Horizontal	1/10	CB92108FM04	3549	CB92108FB04	3549	CB92108FW04	3549
8 Module Cover Plate Square	1/5	CB92208FM04	4014	CB92208FB04	4014	CB92208FW04	4014
12 Module Cover Plate	1/5	CB92112FM04	6002	CB92112FB04	6002	CB92112FW04	6002
16 Module Cover Plate	1/4	CB92116FM04	6784	CB92116FB04	6784	CB92116FW04	6784
18 Module Cover Plate	1/5	CB92118FM04	7392	CB92118FB04	7392	CB92118FW04	7392

METAL (ALUMINIUM) PLATES WITHOUT GRID FRAMES

NEW

Description	Std Pack	Metallic Gold		Brush Silver		Jet Black	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FG03	2434	CB92101FS03	2434	CB92101FJ03	2318
2 Module Cover Plate	1/10	CB92102FG03	2663	CB92102FS03	2663	CB92102FJ03	2536
3 Module Cover Plate	1/10	CB92103FG03	3133	CB92103FS03	3133	CB92103FJ03	2984
4 Module Cover Plate	1/10	CB92104FG03	3493	CB92104FS03	3493	CB92104FJ03	3327
6 Module Cover Plate	1/10	CB92106FG03	4303	CB92106FS03	4303	CB92106FJ03	4098
8 Module Cover Plate Horizontal	1/10	CB92108FG03	5122	CB92108FS03	5122	CB92108FJ03	4878
8 Module Cover Plate Square	1/5	CB92208FG03	5804	CB92208FS03	5804	CB92208FJ03	5528
12 Module Cover Plate	1/5	CB92112FG03	8717	CB92112FS03	8717	CB92112FJ03	8302
16 Module Cover Plate	1/4	CB92116FG03	11143	CB92116FS03	11143	CB92116FJ03	10612
18 Module Cover Plate	1/5	CB92118FG03	14285	CB92118FS03	14285	CB92118FJ03	13605



Icy White



Champagne Gold



Silky Silver



Midnight Black



Oceanic Green



Matte Mirror

All wooden, glass and metal plates are supplied without grid frames. Customers need to order the grid plates separately.

GLASS PLATES WITHOUT GRID FRAMES

Description	Std Pack	Icy White		Champagne Gold		Silky Silver	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FW02	1338	CB92101FC02	1338	CB92101FS02	1338
2 Module Cover Plate	1/10	CB92102FW02	1515	CB92102FC02	1515	CB92102FS02	1515
3 Module Cover Plate	1/10	CB92103FW02	1630	CB92103FC02	1630	CB92103FS02	1630
4 Module Cover Plate	1/10	CB92104FW02	2112	CB92104FC02	2112	CB92104FS02	2112
6 Module Cover Plate	1/10	CB92106FW02	2481	CB92106FC02	2481	CB92106FS02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FW02	2812	CB92108FC02	2812	CB92108FS02	2812
8 Module Cover Plate Square	1/5	CB92208FW02	2812	CB92208FC02	2812	CB92208FS02	2812
12 Module Cover Plate	1/5	CB92112FW02	4374	CB92112FC02	4374	CB92112FS02	4374
16 Module Cover Plate	1/4	CB92116FW02	4501	CB92116FC02	4501	CB92116FS02	4501
18 Module Cover Plate	1/5	CB92118FW02	4881	CB92118FC02	4881	CB92118FS02	4881

GLASS PLATES WITHOUT GRID FRAMES

Description	Std Pack	Midnight Black		Oceanic Green		Matte Mirror	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1/10	CB92101FB02	1338	CB92101FG02	1338	CB92101FM02	1338
2 Module Cover Plate	1/10	CB92102FB02	1515	CB92102FG02	1515	CB92102FM02	1515
3 Module Cover Plate	1/10	CB92103FB02	1630	CB92103FG02	1630	CB92103FM02	1630
4 Module Cover Plate	1/10	CB92104FB02	2112	CB92104FG02	2112	CB92104FM02	2112
6 Module Cover Plate	1/10	CB92106FB02	2481	CB92106FG02	2481	CB92106FM02	2481
8 Module Cover Plate Horizontal	1/10	CB92108FB02	2812	CB92108FG02	2812	CB92108FM02	2812
8 Module Cover Plate Square	1/5	CB92208FB02	2812	CB92208FG02	2812	CB92208FM02	2812
12 Module Cover Plate	1/5	CB92112FB02	4374	CB92112FG02	4374	CB92112FM02	4374
16 Module Cover Plate	1/4	CB92116FB02	4501	CB92116FG02	4501	CB92116FM02	4501
18 Module Cover Plate	1/5	CB92118FB02	4881	CB92118FG02	4881	CB92118FM02	4881




COVER PLATES WITH GRID FRAMES

			Snow White		Mountain Grey	Champagne Gold	Moonlight Silver	Sparkle Black	Gold Blush	Satin Chrome	
Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹	Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	MRP in ₹
1 Module Cover Plate	97 X 90 X 14	10	CB92101FW00	238	CB92101FM01	CB92101FC01	CB92101FS01	CB92101FB01	CB92101FG01	CB92101FT01	342
2 Module Cover Plate	97 X 90 X 14	10	CB92102FW00	238	CB92102FM01	CB92102FC01	CB92102FS01	CB92102FB01	CB92102FG01	CB92102FT01	342
3 Module Cover Plate	125 X 90 X 14	10	CB92103FW00	277	CB92103FM01	CB92103FC01	CB92103FS01	CB92103FB01	CB92103FG01	CB92103FT01	397
4 Module Cover Plate	157 X 90 X 14	10	CB92104FW00	318	CB92104FM01	CB92104FC01	CB92104FS01	CB92104FB01	CB92104FG01	CB92104FT01	456
6 Module Cover Plate	228 X 90 X 14	5	CB92106FW00	494	CB92106FM01	CB92106FC01	CB92106FS01	CB92106FB01	CB92106FG01	CB92106FT01	705
8 Module Cover Plate H	262 X 90 X 18	4	CB92108FW00	585	CB92108FM01	CB92108FC01	CB92108FS01	CB92108FB01	CB92108FG01	CB92108FT01	837
8 Module Cover Plate S	157 X 157 X 14	5	CB92208FW00	585	CB92208FM01	CB92208FC01	CB92208FS01	CB92208FB01	CB92208FG01	CB92208FT01	837
12 Module Cover Plate	228 X 157 X 14	5	CB92112FW00	789	CB92112FM01	CB92112FC01	CB92112FS01	CB92112FB01	CB92112FG01	CB92112FT01	1127
16 Module Cover Plate	249 X 157 X 19	4	CB92116FW00	979	CB92116FM01	CB92116FC01	CB92116FS01	CB92116FB01	CB92116FG01	CB92116FT01	1339
18 Module Cover Plate	228 X 226 X 20	5	CB92118FW00	1105	CB92118FM01	CB92118FC01	CB92118FS01	CB92118FB01	CB92118FG01	CB92118FT01	1508

All white and colour plates are supplied with grid frames.


GRID FRAMES FOR ALL MATERIAL PLATES (GLASS, METAL, WOOD)

Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	71 X 60	10	CB92102GB00	92
3 Module Grid Frame	86 X 60	10	CB92103GB00	117
4 Module Grid Frame	110 X 60	10	CB92104GB00	139
6 Module Grid Frame	156 X 60	5	CB92106GB00	216
8 Module Grid Frame Horizontal	206 X 68	4	CB92108GB00	256
8 Module Grid Frame Square	109 X 125	5	CB92208GB00	256
12 Module Grid Frame	168 X 126	5	CB92112GB00	350
16 Module Grid Frame	191 X 136	4	CB92116GB00	454
18 Module Grid Frame	156 X 193	5	CB92118GB00	505



For Metal Boxes refer pg. no. 43

We make more than switches.
We make your moments.



entice

entice - Vibrant and sophisticated
switches from Lauritz Knudsen
#MadeForMoments

THE SHADE OF SUCCESS

360-degree /
full rotation of
fan regulator.

Modular
USB
charger.

Complete
connection
solution for TV,
computers etc.

Modular MCB
with LED
Indicators.

ISI
certified

Glass Plates &
Marble Finish
available

Strong,
durable
build.

Safety
shutters.

Sleek,
ribless
design.

Vertical &
horizontal
mounting
plates.

Tested for over
3 Lakh clicks.

Type A & Type C
Quick Charger

Feather Touch
Switches with
Remote

High
gloss
mirror
finish.

MODULAR IR TOUCH SWITCHES – SUITABLE FOR ENTICE PLATES

KEY FEATURES : TOUCH SWITCHES

- Modular type Touch Switches range suitable for all entice plates
- Hassle free installation-No need to change any wiring & mounting boxes
- Night Locator-Easy to locate in dark
- Highly Reliable & Durable
- Conforms to international standard IEC-60669 Part 1 & 2
- Range covers Switching & Controls function
- Black & Charcoal Grey options available




KEY FEATURES: IR REMOTE


- Sit and operate-32 Switch control
- Set your favourite scene-8 different scenes in a click
- Master Switch-Master On/Off in a click




SWITCHES




SWITCH: 4CH




SWITCH: 2CH



SWITCH: 2-WAY




SWITCH: BELL PUSH




SWITCH: 25 A

CONTROLS



LIGHT DIMMER



FAN REGULATOR

Charcoal Grey



Black



Description	Std Pack	Cat No	MRP in ₹	Cat No	MRP in ₹
Touch IR Switch 2 Channel 2M	1	CB91602SC02	4650	CB91602SB02	4650
Touch IR Switch 4 Channel 2M	1	CB91602SC04	5100	CB91602SB04	5100
Touch IR Switch 2 way 2M	1	CB91602SC00	4960	CB91602SB00	4960
Touch Bell Push 2M	1	CB91602BC00	4640	CB91602BB00	4640
Touch IR Switch 25 A 2M	1	CB91602SC20	4875	CB91602SB20	4875
Touch IR Fan Regulator 8-Step 2M	1	CB91602FC00	5400	CB91602RB00	5400
Touch IR Universal Light Dimmer 2M*	1	CB91602DC00	6000	CB91602DB00	6000
IR Remote Control - Black	1	CB98T02RM13	1400		

*Universal Dimmer suitable for LED Lights with phase-cut drivers



CB91101SW10
CB91101SW16
CB91101SW25
CB91301SW10
CB91301SW16
CB91301SW25
CB91201SW10
CB91201SW16
CB91402SW20
CB91402SW32



CB91101SG10
CB91101SG16
CB91101SG25
CB91301SG10
CB91301SG16
CB91301SG25
CB91201SG10
CB91201SG16
CB91402SG20
CB91402SG32



CB91101BW10
CB91301BW10
CB91101BG10
CB91301BG10



CB91102MW25
CB91102MG25

- 3 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp

SWITCHES WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	CB91101SW10	116	CB91101SG10	161
Switch 10AX 1-way with Indicator 1M	20	CB91301SW10	280	CB91301SG10	393
Switch 10AX 2-way 1M	20	CB91201SW10	254	CB91201SG10	354
Switch 16AX 1-way 1M	20	CB91101SW16	271	CB91101SG16	395
Switch 16AX 1-way with Indicator 1M	20	CB91301SW16	339	CB91301SG16	480
Switch 16AX 2-way 1M	20	CB91201SW16	339	CB91201SG16	457
Switch 25A 1-way 1M	20	CB91101SW25	422	CB91101SG25	482
Switch 25A 1-way with Indicator 1M	20	CB91301SW25	511	CB91301SG25	554
Switch 20A DP with Indicator 2M	10	CB91402SW20	644	CB91402SG20	846
Switch 32A DP with Indicator 2M	10	CB91402SW32	740	CB91402SG32	1015

BELL PUSH WITH

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Bell Push 10AX 1M	20	CB91101BW10	296	CB91101BG10	390
Bell Push 10AX with indicator 1M	20	CB91301BW10	340	CB91301BG10	448
Bell Push 10AX with indicator 2M	10	CB91302BW10	441	CB91302BG10	579

MOTOR STARTER

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor Starter 25A 2M	10	CB91102MW25	1385	CB91102MG25	1851



CB91602CW06
CB91702CW06

CB91302CW16



CB91602CG06
CB91702CG06

CB91302CG16

POWER SOCKETS WITH ISI

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB91602CW06	205	CB91602CG06	293
New Socket 6A 3 Pin with ISI 2M (Heavy Duty)	10	CB91702CW06	221	CB91702CG06	299
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB91302CW16	458	CB91302CG16	643

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is also suitable for 2 Pin Plug top.
- 6A 3 Pin Socket Heavy Duty is with heavy connectors and terminals for more durability.
- **6A/16A Sockets also tested upto 25A rating.**

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB91101DW04	962	CB91101DG04	1365
Fan Regulator 4-Step 80W 1M	10	CB91101RW01	680	CB91101RG01	993
Fan Regulator 5-Step 120W with ISI 2M	5	CB91102RW02	939	CB91102RG02	1372

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Dimmers only support incandescent and halogen load.
- Fan Regulators also suitable for BLDC fan without remote.



CB91101TW11

CB91301TW45

CB91101TW00

DATA SOCKETS

Description	Standard Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	CB91101TW11	287	CB91101TG11	423
New RJ 45 Cat 6A Socket with Shutter 1M	20	CB91301TW45	1049	CB91301TG45	1512
TV Socket 1M	20	CB91101TW00	287	CB91101TG00	406

- For Cat 6A- Data transfer speed is upto 10GBPS and Bandwidth frequency is upto 500MHz.



CB91102AW00

CB91402AW00

CB91101AW00

CB91201AW00

CB91102LW00

ACCESSORIES

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Buzzer 2M	5	CB91102AW00	684	CB91102AG00	983
Cable Outlet 1M	White 20 Grey 15	CB91101AW00	231	CB91101AG00	333
Blank Off Unit 1M	20	CB91201AW00	61	CB91201AG00	84
LED Foot Light 2M	5	CB91102LW00	1377	CB91102LG00	1979
USB Charger 2A 1M	10	CB91101AW02	1639	CB91101AG02	2449
USB Type A Quick Charger 18W 1M	10	CB91101AW18	2150	CB91101AG18	2495
USB Type C PD Charger 18W 1M	10	CB91201AW18	2950	CB91201AG18	3350
LED Phase Indicator 1M - Full Glow	20	CB91401AW00	357	Same as White	
Electronic Ding Dong Bell 2M	10	CB91402AW00	1132	CB91402AG00	1502



CB91101AW02

CB91401AW00

CB91102AG00

CB91101AG00

CB91201AG00

CB91101AG18

CB91201AW18

- Electronic ding-dong bell is suitable for small rooms/cabins etc.



CB91202HW20
CB91302HW32

CB91502HW10

CB91602HW10



CB91302HW00

CB91202HG20
CB91302HG32

CB91502HG10

• Mechanical Key Tag are modular type and supplied without any plates.

FEATURES

- Mini MCBs with LED indicator
- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- Available in White & Charcoal Grey colors
- IP20 protection
- RoHS Compliant



CB91101KW06
CB91101KW10
CB91101KW16
CB91101KW20
CB91101KW25
CB91101KW32

CB91202KW25
CB91202KW32



CB91101KG06
CB91101KG10
CB91101KG16
CB91101KG20
CB91101KG25
CB91101KG32

CB91202KG25
CB91202KG32

HOSPITALITY RANGE

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag Switch 20A 2M	5	CB91202HW20	976	CB91202HG20	1287
Mech Key Tag Switch 32A 2M	5	CB91302HW32	1107	CB91302HG32	1461
Spare Key for Mech Key Tag	10	CB91302HW00	103	CB91302HG00	116
DND-MMR Inside Room Unit 2M	10	CB91502HW10	764	CB91502HG10	1116
DND-MMR Outside Room Unit 2M	10	CB91602HW10	814	Same as White	

MINI MCBs WITH LED INDICATOR

Description	Std Pack	White		Charcoal Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3kA 1M	10	CB91101KW06	559	CB91101KG06	695
10A SP Mini MCB 3kA 1M	10	CB91101KW10	559	CB91101KG10	695
16A SP Mini MCB 3kA 1M	10	CB91101KW16	559	CB91101KG16	695
20A SP Mini MCB 3kA 1M	10	CB91101KW20	559	CB91101KG20	695
25A SP Mini MCB 3kA 1M	10	CB91101KW25	559	CB91101KG25	695
32A SP Mini MCB 3kA 1M	10	CB91101KW32	559	CB91101KG32	695
25A DP Mini MCB 3kA 2M	5	CB91202KW25	1111	CB91202KG25	1372
32A DP Mini MCB 3kA 2M	5	CB91202KW32	1111	CB91202KG32	1372

WHITES




The serenity of the white classics are perfect for those who seek understated elegance.



VIVID



Gold Rush



Eco Grey

Handpicked artistic colours that will shine through, as a display of your fine taste.



Charcoal Grey



Ice Silver



Bottle Green



Black Beauty

VIBRANT



Firestorm Orange

Rare & full of life, the vibrant series is full of bright colours, crafted for those who prefer the exotic.



Metallic Grey



Rustic Gold



Rose Gold

WOODEN




Cinnamon Wood

Rustic & earthy, these wooden tones really bring out the aesthetics of your home.



Dark Chocolate Wood




- 8M Horizontal Small size, is suitable for 10M ORIS Box.
- All White cover plates supplied with grid frames.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITH GRID FRAMES - WHITE


Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91101FW00	181
2 Module Cover Plate+Grid Frame	97 X 90 X 14	15	CB91102FW00	181
3 Module Cover Plate+Grid Frame	125 X 90 X 14	10	CB91103FW00	235
4 Module Cover Plate+Grid Frame	157 X 90 X 14	10	CB91104FW00	269
6 Module Cover Plate+Grid Frame	228 X 90 X 14	5	CB91106FW00	360
8 Module Cover Plate+Grid Frame Horizontal	262 X 90 X 14	5	CB91108FW00	428
8 Module Cover Plate+Grid Frame Square	157 X 157 X 14	5	CB91208FW00	428
8 Module Cover Plate+Grid Frame-Small Size (Suitable for Oris 10M Boxes)	262 X 90 X 18	5	CB91308FW00	508
12 Module Cover Plate+Grid Frame	228 X 157 X 14	5	CB91112FW00	579
16 Module Cover Plate+Grid Frame	248 X 156 X 18	4	CB91116FW00	717
18 Module Cover Plate+Grid Frame	228 X 226 X 14	5	CB91118FW00	757

COVER PLATES WITHOUT GRID FRAMES - VIVID SHADES



- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Charcoal Grey	Eco Grey	Gold Rush	Ice Silver	Black Beauty	Bottle Green	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FG11	CB91101FE11	CB91101FU11	CB91101FI11	CB91101FB11	CB91101FD11	242
2 Module Cover Plate	15	CB91102FG11	CB91102FE11	CB91102FU11	CB91102FI11	CB91102FB11	CB91102FD11	242
3 Module Cover Plate	10	CB91103FG11	CB91103FE11	CB91103FU11	CB91103FI11	CB91103FB11	CB91103FD11	322
4 Module Cover Plate	10	CB91104FG11	CB91104FE11	CB91104FU11	CB91104FI11	CB91104FB11	CB91104FD11	356
6 Module Cover Plate	5	CB91106FG11	CB91106FE11	CB91106FU11	CB91106FI11	CB91106FB11	CB91106FD11	460
8 Module Cover Plate Horizontal	5	CB91108FG11	CB91108FE11	CB91108FU11	CB91108FI11	CB91108FB11	CB91108FD11	539
8 Module Cover Plate Square	5	CB91208FG11	CB91208FE11	CB91208FU11	CB91208FI11	CB91208FB11	CB91208FD11	539
12 Module Cover Plate	5	CB91112FG11	CB91112FE11	CB91112FU11	CB91112FI11	CB91112FB11	CB91112FD11	729
16 Module Cover Plate	5	CB91116FG11	CB91116FE11	CB91116FU11	CB91116FI11	CB91116FB11	CB91116FD11	989
18 Module Cover Plate	5	CB91118FG11	CB91118FE11	CB91118FU11	CB91118FI11	CB91118FB11	CB91118FD11	1097



Rustic Gold

Metallic Grey



Firestorm Orange

Rose Gold

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Automotive Grade 2K PU Paint Technology for Durability.
- 16M Cover plate is also suitable for 12M GI metal box.

COVER PLATES WITHOUT GRID FRAMES - VIBRANT SHADES

Description	Std Pack	Rustic Gold	Metallic Grey	Firestorm Orange	Rose Gold	MRP in ₹
		Cat No	Cat No	Cat No	Cat No	
1 Module Cover Plate	15	CB91101FR11	CB91101FM11	CB91101FS11	CB91101FL11	362
2 Module Cover Plate	15	CB91102FR11	CB91102FM11	CB91102FS11	CB91102FL11	362
3 Module Cover Plate	10	CB91103FR11	CB91103FM11	CB91103FS11	CB91103FL11	453
4 Module Cover Plate	10	CB91104FR11	CB91104FM11	CB91104FS11	CB91104FL11	478
6 Module Cover Plate	5	CB91106FR11	CB91106FM11	CB91106FS11	CB91106FL11	549
8 Module Cover Plate Horizontal	5	CB91108FR11	CB91108FM11	CB91108FS11	CB91108FL11	720
8 Module Cover Plate Square	5	CB91208FR11	CB91208FM11	CB91208FS11	CB91208FL11	720
12 Module Cover Plate	5	CB91112FR11	CB91112FM11	CB91112FS11	CB91112FL11	961
16 Module Cover Plate	5	CB91116FR11	CB91116FM11	CB91116FS11	CB91116FL11	1057
18 Module Cover Plate	5	CB91118FR11	CB91118FM11	CB91118FS11	CB91118FL11	1314

COVER PLATES WITHOUT GRID FRAMES - WOODEN FINISHES




Dark Chocolate Wood

Cinnamon Wood

- All color plates supplied without grid frames.
- Customer need to select Grid Frames Separately.
- All colour product pictures are for visualization purpose only, actual product colour may vary.
- Cubic Printing Technology used for wooden finishes.
- 16M Cover plate is also suitable for 12M GI metal box.

Description	Std Pack	Dark Chocolate Wood	Cinnamon Wood	MRP in ₹
		Cat No	Cat No	
1 Module Cover Plate	15	CB91101FL12	CB91101FA12	389
2 Module Cover Plate	15	CB91102FL12	CB91102FA12	389
3 Module Cover Plate	10	CB91103FL12	CB91103FA12	465
4 Module Cover Plate	10	CB91104FL12	CB91104FA12	553
6 Module Cover Plate	5	CB91106FL12	CB91106FA12	751
8 Module Cover Plate Horizontal	5	CB91108FL12	CB91108FA12	908
8 Module Cover Plate Square	5	CB91208FL12	CB91208FA12	908
12 Module Cover Plate	5	CB91112FL12	CB91112FA12	1287
16 Module Cover Plate	5	CB91116FL12	CB91116FA12	1624
18 Module Cover Plate	5	CB91118FL12	CB91118FA12	2033



Onyx Black Glass



Classic Grey Glass

Presenting the all new range of Glass plates in entice. These Glass Plates represent the perfect amalgamation of style and functionality. Crafted with utmost precision and attention to detail, they exude elegance and modernity, elevating the aesthetics of any space they adorn.

- Real Toughened 4mm Glass with Golden Bezel
- Plates are supplied with Grid Plates


ENTICE GLASS PLATES WITH GRID FRAME

COMING SOON


COMING SOON

COMING SOON

		Onyx Black	Classic Grey	Glacier White	Caramel Brown	Bronze Mirror	
Description	Std Pack	Cat No	Cat No	Cat No	Cat No	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FB02	CB91101FC02	CB91101FG02	CB91101FR02	CB91101FM02	790
2 Module Cover Plate	1	CB91102FB02	CB91102FC02	CB91102FG02	CB91102FR02	CB91102FM02	790
3 Module Cover Plate	1	CB91103FB02	CB91103FC02	CB91103FG02	CB91103FR02	CB91103FM02	1125
4 Module Cover Plate	1	CB91104FB02	CB91104FC02	CB91104FG02	CB91104FR02	CB91104FM02	1550
6 Module Cover Plate	1	CB91106FB02	CB91106FC02	CB91106FG02	CB91106FR02	CB91106FM02	1950
8 Module Cover Plate Horizontal	1	CB91108FB02	CB91108FC02	CB91108FG02	CB91108FR02	CB91108FM02	2250
8 Module Cover Plate Square	1	CB91208FB02	CB91208FC02	CB91208FG02	CB91208FR02	CB91208FM02	2250
12 Module Cover Plate	1	CB91112FB02	CB91112FC02	CB91112FG02	CB91112FR02	CB91112FM02	2725
16 Module Cover Plate	1	CB91116FB02	CB91116FC02	CB91116FG02	CB91116FR02	CB91116FM02	2950
18 Module Cover Plate	1	CB91118FB02	CB91118FC02	CB91118FG02	CB91118FR02	CB91118FM02	3350



Mystic Marble Finish




White Marble Finish

Introducing the timeless beauty of Marble finish plates. Marble finish plates effortlessly blend with a variety of interior styles, from classic to contemporary, traditional to modern. Their timeless appeal ensures that they remain a stylish addition to your home for years to come.


- Marble Finish plates made with highly reliable Thermal/Heat transfer film technology
- Plates are supplied with Grid Plates

ENTICE MARBLE FINISH PLATES WITH GRID FRAME

Description	Std Pack	Mystic Marble Finish		White Marble Finish	
		Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate	1	CB91101FM07	455	CB91101FW07	455
2 Module Cover Plate	1	CB91102FM07	455	CB91102FW07	455
3 Module Cover Plate	1	CB91103FM07	525	CB91103FW07	525
4 Module Cover Plate	1	CB91104FM07	595	CB91104FW07	595
6 Module Cover Plate	1	CB91106FM07	830	CB91106FW07	830
8 Module Cover Plate Horizontal	1	CB91108FM07	925	CB91108FW07	925
8 Module Cover Plate Square	1	CB91208FM07	925	CB91208FW07	925
12 Module Cover Plate	1	CB91112FM07	1250	CB91112FW07	1250
16 Module Cover Plate	1	CB91116FM07	1850	CB91116FW07	1850
18 Module Cover Plate	1	CB91118FM07	1950	CB91118FW07	1950



- Grid frames suitable for all colour plates and wooden finish plates.
- Ease for retailers to maintain stocks.



GRID FRAMES (FOR VIVID, VIBRANT & WOOD COVER PLATES)


Description	Cut-out Dimensions (For Furniture Installation) W X H (mm)	Std Pack	Cat No	MRP in ₹
1/2 Module Grid Frame	52 X 55	15	CB91102GB00	69
3 Module Grid Frame	80 X 66	10	CB91103GB00	80
4 Module Grid Frame	119 X 55	10	CB91104GB00	103
6 Module Grid Frame	178 X 61	5	CB91106GB00	162
8 Module Grid Frame Horizontal	222 X 68	5	CB91108GB00	192
8 Module Grid Frame Square	113 X 120	5	CB91208GB00	192
12 Module Grid Frame	173 X 120	5	CB91112GB00	263
16 Module Grid Frame	203 X 126	4	CB91116GB00	439
18 Module Grid Frame	173 X 185	5	CB91118GB00	454

GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	77 X 76 X 53	60	CB91102WM00	106
GI Metal Box-3 Module	103 X 76 X 53	45	CB91103WM00	147
GI Metal Box- 4 Module	136 X 76 X 53	30	CB91104WM00	168
GI Metal Box- 6 Module	210 X 76 X 53	20	CB91106WM00	237
GI Metal Box- 8 Module Horizontal	227 X 82 X 53	15	CB91108WM00	301
GI Metal Box- 8 Module Square	136 X 132 X 58	24	CB91208WM00	301
GI Metal Box- 12 Module	210 X 132 X 61	16	CB91112WM00	443
GI Metal Box- 16 Module	227 X 146 X 61	12	CB91116WM00	510
GI Metal Box- 18 Module	212 X 210 X 61	10	CB91118WM00	553

- Suitable for entice, englaze, enCurve and enGem ranges.
- GI Boxes Conforms to IS14772: 2000
- With  Marking

We make more than switches.
We make your moments.



enCurve

enCurve - Soft Operating Switches
from Lauritz Knudsen
#MadeForMoments



SLEEK & CURVILINEAR DESIGN

Impress your customers with the enCurve range's stunning curvilinear design that blends seamlessly into modern interiors. The premium build and contemporary look are sure to add a touch of sophistication to every space.



SOFT OPERATING SWITCH

With its soft operating switches and low-sound mechanism, enCurve offers a smooth, noiseless experience to customers. Every click on switch feels premium, ensuring both comfort and satisfaction in daily use.



ENGINEERED FOR ENDURANCE

enCurve switches are tested for over 1 lakh switching operations, ensuring exceptional durability. Pair that with strong grid frames & a break-free knob design for fan regulators, and you get unmatched reliability over years of use.



EFFORTLESS CONNECTION

The hassle-free socket design ensures easy plugging and unplugging, making it convenient for all age groups while offering complete peace of mind for everyday use.



INSTALL IN A SNAP

A front-removal system, captive screws, & smart construction make installation fast & fuss-free. Whether it's a fresh fit-out or an upgrade, enCurve ensures time efficiency for professionals and a perfect finish for every space.



DUAL-PORT USB CHARGING

USB Charger Integrated with both Type-A and Type -C PD charging ports delivering 18W of power. enCurve delivers fast, reliable charging for all your devices. Eliminate the need for bulky adapters & keep your tech powered with a sleek, built-in solution that matches your interiors.



HOSPITALITY SOLUTIONS


Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.



MULTIPLE COLOUR OPTIONS

enCurve offers wide range of colour options to customer to match with their home décor





- Soft operating & low sound switch.
- Brass Switch terminals & screws
- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell push are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp.



CB95102MW25



CB95602CW06



CB95302CW16



CB95602CG06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.

SWITCHES & BELL PUSH WITH ISI

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 1 way 6AX 1M	20	CB95101SW06	84	CB95101SG06	99
Switch 1 way 6AX with indicator 1M	20	CB95301SW06	210	CB95301SG06	263
Switch 2 way 6AX 1M	20	CB95201SW06	201	CB95201SG06	252
Switch 1 way 16 AX 1M	20	CB95101SW16	186	CB95101SG16	223
Switch 1 way 16AX with indicator 1M	20	CB95301SW16	256	CB95301SG16	308
Switch 2 way 16AX 1M	20	CB95201SW16	282	CB95201SG16	352
Switch 1 way 25 A 1M	20	CB95101SW25	237	CB95101SG25	296
Switch 1 way 25A with indicator 1M	20	CB95301SW25	321	CB95301SG25	403
Switch 32A DP with Indicator lamp 2M	10	CB95402SW32	510	CB95402SG32	637
Bell Push 6A 1M	20	CB95101BW06	223	CB95101BG06	279
Bell Push 6A 1M with Indicator 1 M	20	CB95301BW06	249	CB95301BG06	310
Bell Push 6A with indicator 2M	10	CB95302BW06	331	CB95302BG06	414

MOTOR STARTER

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Motor starter 25A 2M	10	CB95102MW25	979	CB95102MG25	1150

POWER SOCKET WITH ISI

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 3 Pin Socket 6A with ISI 2M	10	CB95602CW06	150	CB95602CG06	192
Socket 6A/16A combined with ISI 2M (Tested upto 25A rating also)	10	CB95302CW16	247	CB95302CG16	308



- CB95101RW01 CB95102RW02
- 5 step fan regulator conforms to IS 11037: 2019
 - All fan regulators are with 360 degree rotation.
 - Fan Regulators also suitable for BLDC fan without remote.
 - Dimmers support incandescent and halogen loads only.



USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings - 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 - part 1
- Breaking capacity - 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Magnesium Grey Colors



CB95101KW06
CB95101KW10
CB95101KW16
CB95101KW20
CB95101KW25
CB95101KW32

CB95202KW25
CB95202KW32

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB95101DW04	739	CB95101DG04	923
Fan regulator 4-Step 1M	10	CB95101RW01	509	CB95101RG01	612
Fan regulator 5-Step 2M	5	CB95102RW02	658	CB95102RG02	758

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
RJ 11 1M	20	CB95101TW11	209	CB95101TG11	259
RJ 45 Cat 6A 1M	20	CB95301TW45	798	CB95301TG45	998
TV Socket 1M	20	CB95101TW00	204	CB95101TG00	254
Cable Outlet 1M	20	CB95101AW00	164	CB95101AG00	206
Blank off unit 1M	20	CB95201AW00	43	CB95201AG00	54
LED Foot Light 2M	5	CB95102LW00	980	CB95102LG00	1224
USB Charger 2A 1M	10	CB95101AW02	1358	CB95101AG02	1630
USB Charger 18W Type A & Type C- Combi Type 1M	10	CB95101AW18	2450	CB95101AG18	2750
LED Phase indicator 1M-Full Glow	20	CB95401AW00	247	Same as White	

MINI MCBs

Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3 kA 1M	10	CB95101KW06	488	CB95101KG06	586
10A SP Mini MCB 3 kA 1M	10	CB95101KW10	488	CB95101KG10	586
16A SP Mini MCB 3 kA 1M	10	CB95101KW16	488	CB95101KG16	586
20A SP Mini MCB 3 kA 1M	10	CB95101KW20	488	CB95101KG20	586
25A SP Mini MCB 3 kA 1M	10	CB95101KW25	488	CB95101KG25	586
32A SP Mini MCB 3 kA 1M	10	CB95101KW32	488	CB95101KG32	586
25A DP Mini MCB 3 kA 2M	5	CB95202KW25	1090	CB95202KG25	1308
32A DP Mini MCB 3 kA 2M	5	CB95202KW32	1090	CB95202KG32	1308




CB95302HW32



CB95302HW00



CB95302HW32



CB95601HW10





HOSPITALITY RANGE


Description	Std Pack	White		Magnesium Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	10	CB95302HW32	996	CB95302HG32	1315
Spare key for Mech key tag	10	CB95302HW00	93	CB95302HG00	104
DND MMR inside room unit 2M	10	CB95502HW10	688	CB95502HG10	1004
DND MMR outside room unit 1M	10	CB95601HW10	736	CB95601HG10	1114

- DND MMR Outside Unit in 1 Module size
- DND MMR Inside Unit supplied complete set, occupy 2 module size
- Mechanical Key Tag is Modular type and supplied without plate




COVER PLATES WITH GRID FRAMES


											
		White			Magnesium Grey	Desert Gold	Vintage Gold	Nebula Black	Antique Bronze		
Description	Std Pack	Cat No	MRP in ₹		Cat No	Cat No	Cat No	Cat No	Cat No		MRP in ₹
1 Module Cover Plate with Grid Frames	10	CB95101FW00	122		CB95101FG01	CB95101FD01	CB95101FV01	CB95101FB01	CB95101FA01		165
2 Module Cover Plate with Grid Frames	10	CB95102FW00	122		CB95102FG01	CB95102FD01	CB95102FV01	CB95102FB01	CB95102FA01		165
3 Module Cover Plate with Grid Frames	10	CB95103FW00	158		CB95103FG01	CB95103FD01	CB95103FV01	CB95103FB01	CB95103FA01		215
4 Module Cover Plate with Grid Frames	10	CB95104FW00	187		CB95104FG01	CB95104FD01	CB95104FV01	CB95104FB01	CB95104FA01		253
6 Module Cover Plate with Grid Frames	5	CB95106FW00	276		CB95106FG01	CB95106FD01	CB95106FV01	CB95106FB01	CB95106FA01		373
8 Module Cover Plate with Grid Frames Horizontal	5	CB95108FW00	327		CB95108FG01	CB95108FD01	CB95108FV01	CB95108FB01	CB95108FA01		441
8 Module Cover Plate with Grid Frames Square	5	CB95208FW00	327		CB95208FG01	CB95208FD01	CB95208FV01	CB95208FB01	CB95208FA01		441
9 Module Cover Plate with Grid Frames Horizontal	5	CB95109FW00	365		CB95109FG01	CB95109FD01	CB95109FV01	CB95109FB01	CB95109FA01		475
12 Module Cover Plate with Grid Frames	5	CB95112FW00	442		CB95112FG01	CB95112FD01	CB95112FV01	CB95112FB01	CB95112FA01		596
16 Module Cover Plate with Grid Frames	4	CB95116FW00	655		CB95116FG01	CB95116FD01	CB95116FV01	CB95116FB01	CB95116FA01		882
18 Module Cover Plate with Grid Frames	4	CB95118FW00	670		CB95118FG01	CB95118FD01	CB95118FV01	CB95118FB01	CB95118FA01		903



CB95101FW00



CB95102FW00



CB95103FW00



CB95104FW00




CB95106FW00




CB95108FW00



CB95109FW00



CB95208FW00



CB95112FW00

We make more than switches.
We make your moments.



enGem

enGem - Safe and secure
switches from Lauritz Knudsen
#MadeForMoments




COMPLETE USB CHARGING SOLUTION

The enGem range allows customers to fast-charge devices with the power of 18W Combi type - Type A & Type C. The range also comes with a 2A USB Charger.



PREMIUM FLAT DESIGN

Impress your customers with the enGem range of premium flat-design plates. They come with superior plastic quality and wide cover plates that make them durable and easier to install.



HASSLE-FREE PLUGGING

When you choose enGem, your customers can be rest assured about the safety of their children due to its in-built safety shutter in sockets. More safety is sure to earn you more compliments.



360° ROTATION FOR BREAK-FREE OPERATIONS

When you recommend enGem switches, your customers get to enjoy the comfort of a fan without the hassle of a breakage-prone regulator. The 360° rotation regulator knob is built and designed for break-free operations.



CAPTIVE SCREWS AND FRONT REMOVAL SYSTEM

enGem switches reduce the time taken for every switch installation, thereby helping you finish the job quicker. These switches come with captive screws and front removal switches to make the installation process quicker and easier for you. But faster installations for you also mean lesser wait time for your customers. So, faster you finish the job, the more compliments you are bound to get.



1 LAKH + CLICKS & 10,000 TIMES SOCKET UNPLUGGING

Your customers will only compliment you when the switch you install lasts really long. enGem switches offer more than 1 Lakh clicks, which has also been certified by NABL*. What's more, you can plug sockets in and out over 10,000 times.



COLOUR & BEZEL OPTIONS AVAILABLE

enGem switches are now available in two classic colours, White & Stone Grey. And you get to choose Chrome & Gold bezel options too. enGem brings to you 6 stunning options to match with your home decor.



HOSPITALITY SOLUTIONS

Specially curated combinations & finishes to enhance guest experiences in hotels & resorts. Built to withstand frequent use These solutions balance durability with style for every touchpoint.

SWITCHES & BELL PUSH WITH

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Switch 6AX 1-way 1M	20	CB93101SW06	70	CB93101SS06	85
Switch 6AX 1-way with Indicator 1M	20	CB93301SW06	197	CB93301SS06	246
Switch 6AX 2-way 1M	20	CB93201SW06	183	CB93201SS06	229
Switch 16AX 1-way 1M	20	CB93101SW16	169	CB93101SS16	209
Switch 16AX 1-way with Indicator 1M	20	CB93301SW16	240	CB93301SS16	288
Switch 16AX 2-way 1M	20	CB93201SW16	256	CB93201SS16	320
Switch 20A 1-way 1M	20	CB93101SW20	221	CB93101SS20	277
Switch 20A 1-way with Indicator 1M	20	CB93301SW20	301	CB93301SS20	377
Switch 32A DP with Indicator lamp 2M	10	CB93402SW32	478	CB93402SS32	596
Bell Push 6A 1M	20	CB93101BW06	209	CB93101BS06	262
Bell Push 6A with Indicator 1M	20	CB93301BW06	233	CB93301BS06	290
Bell Push 6A with Indicator 2M	10	CB93302BW06	310	CB93302BS06	387

MOTOR STARTER


Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New Motor Starter 25A 2M	10	CB93102MW25	917	CB93102MS25	1128

POWER SOCKET WITH

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	CB93602CW06	147	CB93602CS06	188
Socket 6A/16A 3 Pin Combi with ISI 2M	10	CB93302CW16	242	CB93302CS16	302



- 1 Lakh switching operation.
- Spark Shield, Captive screws & Tunnel Terminals.
- All Switches and bell pushes are ISI marked and conforms to IS 3854: 2023
- "AX" rating for switches are suitable to fluorescent lights also.
- Suitable for Self Ballast Lamp



CB93102MW25



CB93602CW06

CB93302CW16

CB93602CS06

- 6A 3 Pin, 6A/16A 3 Pin Combi Sockets conforms to latest IS Standard of IS 1293:2019.
- All sockets are equipped with safety shutters.
- 6A 3 Pin Socket is suitable for 2 Pin Plug top also.
- 6A/16A Sockets tested upto 25A rating also.



CB93101RW01

CB93102RW02

CB93102RS02

CB93101RS01

- 5 step fan regulator conforms to IS 11037: 2019
- All fan regulators are with 360 degree rotation.
- Fan Regulators also suitable for BLDC fan without remote.
- Dimmers only support incandescent and halogen load.




CB93101TW11

CB93101TW00

CB93101AW00

CB93201AW00

CB93102LW00



CB93101AW02

CB93101AW18

CB93101TS11

CB93102LS00

CB93101AS02

CB93401AW00

USB Charger conforms to IS 13252 (Part 1)

FEATURES

- Range available in Single & Double pole
- Ratings – 6A, 10A, 16A, 20A, 25A & 32A with C Curve
- Conforms to IS/IEC 60898 – part 1
- Breaking capacity – 3 kA
- Trip free mechanism
- No Line load biased
- Suitable for use as isolator
- IP20 protection
- RoHS Compliant
- Available in White and Stone Grey Colors



CB93101KW06
CB93101KW10
CB93101KW16
CB93101KW20
CB93101KW25
CB93101KW32

CB93202KW25
CB93202KW32

FAN REGULATORS & DIMMERS

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Dimmer 400 W 1M	10	CB93101DW04	704	CB93101DS04	879
Fan Regulator 4-Step 80W 1M	10	CB93101RW01	485	CB93101RS01	583
Fan Regulator 5-Step 120W with ISI 2M	05	CB93102RW02	627	CB93102RS02	722

DATA SOCKETS & ACCESSORIES

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
New RJ 11 Socket with Shutter 1M	20	CB93101TW11	199	CB93101TS11	247
RJ 45 Cat 6A Socket with Shutter 1M	20	CB93301TW45	760	CB93301TS45	950
TV Socket 1M	20	CB93101TW00	194	CB93101TS00	242
Cable Outlet 1M	20	CB93101AW00	156	CB93101AS00	196
Blank off Unit 1M	20	CB93201AW00	41	CB93201AS00	51
LED Foot Light 2M	5	CB93102LW00	933	CB93102LS00	1166
New USB Charger 2A 1M	10	CB93101AW02	1293	CB93101AS02	1552
New USB Charger 18W Type A & C 1M	20	CB93101AW18	2400	CB93101AS18	2700
LED Phase Indicator 1M-Full Glow	20	CB93401AW00	235	Same as White	

MINI MCBs

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
6A SP Mini MCB 3ka 1M	10	CB93101KW06	465	CB93101KS06	558
10A SP Mini MCB 3ka 1M	10	CB93101KW10	465	CB93101KS10	558
16A SP Mini MCB 3ka 1M	10	CB93101KW16	465	CB93101KS16	558
20A SP Mini MCB 3ka 1M	10	CB93101KW20	465	CB93101KS20	558
25A SP Mini MCB 3ka 1M	10	CB93101KW25	465	CB93101KS25	558
32A SP Mini MCB 3ka 1M	10	CB93101KW32	465	CB93101KS32	558
25A DP Mini MCB 3ka 2M	5	CB93202KW25	1038	CB93202KS25	1246
32A DP Mini MCB 3ka 2M	5	CB93202KW32	1038	CB93202KS32	1246



CB93101FW00

CB93102FW00

CB93103FW00

CB93104FW00



CB93104FS01



CB93106FS01



CB93104FS06



CB93106FS05



CB93106FW05



CB93106FW06

COVER PLATES WITH GRID FRAMES

Description	Dimensions W X H X D (mm)	Std Pack	White		Stone Grey	
			Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93101FW00	114	CB93101FS01	155
2 Module Cover Plate+Grid Frame	98 X 90 X 14	15	CB93102FW00	114	CB93102FS01	155
3 Module Cover Plate+Grid Frame	126 X 90 X 14	10	CB93103FW00	148	CB93103FS01	201
4 Module Cover Plate+Grid Frame	158 X 90 X 14	10	CB93104FW00	175	CB93104FS01	237
6 Module Cover Plate+Grid Frame	229 X 90 X 14	5	CB93106FW00	259	CB93106FS01	349
8 Module Cover Plate+Grid Frame Horizontal	263 X 90 X 14	5	CB93108FW00	306	CB93108FS01	413
8 Module Cover Plate+Grid Frame Square	158 X 157 X 14	5	CB93208FW00	306	CB93208FS01	413
12 Module Cover Plate+Grid Frame	229 X 157 X 14	5	CB93112FW00	414	CB93112FS01	558
16 Module Cover Plate+Grid Frame	249 X 156 X 18	4	CB93116FW00	613	CB93116FS01	826
18 Module Cover Plate+Grid Frame	229 X 226 X 14	5	CB93118FW00	627	CB93118FS01	846

COVER PLATES WITH GRID FRAMES FOR BEZEL OPTIONS

Description	Std Pack	White with Chrome Bezel		White with Gold Bezel		Stone Grey with Chrome Bezel		Stone Grey with Gold Bezel	
		Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹	Cat No	MRP in ₹
1 Module Cover Plate+Grid Frame	10	CB93101FW05	133	CB93101FW06	143	CB93101FS05	182	CB93101FS06	206
2 Module Cover Plate+Grid Frame	10	CB93102FW05	133	CB93102FW06	143	CB93102FS05	182	CB93102FS06	206
3 Module Cover Plate+Grid Frame	10	CB93103FW05	173	CB93103FW06	184	CB93103FS05	238	CB93103FS06	267
4 Module Cover Plate+Grid Frame	10	CB93104FW05	203	CB93104FW06	217	CB93104FS05	280	CB93104FS06	316
6 Module Cover Plate+Grid Frame	4	CB93106FW05	300	CB93106FW06	321	CB93106FS05	414	CB93106FS06	467
8 Module Cover Plate+Grid Frame Horizontal	4	CB93108FW05	369	CB93108FW06	393	CB93108FS05	511	CB93108FS06	571
8 Module Cover Plate+Grid Frame Square	4	CB93208FW05	369	CB93208FW06	393	CB93208FS05	511	CB93208FS06	571
12 Module Cover Plate+Grid Frame	4	CB93112FW05	518	CB93112FW06	531	CB93112FS05	690	CB93112FS06	744
16 Module Cover Plate+Grid Frame	4	CB93116FW05	768	CB93116FW06	787	CB93116FS05	1024	CB93116FS06	1102
18 Module Cover Plate+Grid Frame	4	CB93118FW05	785	CB93118FW06	805	CB93118FS05	1045	CB93118FS06	1127



CB93302HW32


CB93302HW00

CB93302HW32

CB93601HW10

HOSPITALITY RANGE **NEW**

Description	Std Pack	White		Stone Grey	
		Cat No	MRP in ₹	Cat No	MRP in ₹
Mech Key Tag 32A 2M	10	CB93302HW32	946	CB93302HS32	1249
Spare key for Mech key tag	10	CB93302HW00	88	CB93302HS00	99
DND MMR inside room unit 2M	10	CB93502HW10	654	CB93502HS10	954
DND MMR outside room unit 1M	10	CB93601HW10	699	CB93601HS10	1058



- GI Metal Boxes Suitable for englaze, entice, enCurve and enGem ranges
- GI Metal Boxes Conforms to IS 14772:2000.
- New Standard retail packing as per above mentioned quantity, will be available soon with new packaging.
- With Marking
- Standard pack size suitable for Retail sales.

CB93118WM00

SURFACE MOUNTING BOXES

Suitable for entice, englaze and enGem range of plates



GI METAL MOUNTING BOXES

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1 & 2 Module	72 X 75 X 46	10	CB93102WM00	79
GI Metal Box-3 Module	98 X 75 X 46	10	CB93103WM00	117
GI Metal Box- 4 Module	133 X 75 X 53	10	CB93104WM00	142
GI Metal Box- 6 Module	204 X 75 X 53	10	CB93106WM00	204
GI Metal Box- 8 Module Horizontal	230 X 78 X 53	5	CB93108WM00	261
GI Metal Box- 8 Module Square	131 X 136 X 58	5	CB93208WM00	261
GI Metal Box- 12 Module	204 X 135 X 58	5	CB93112WM00	348
GI Metal Box- 16 Module	231 X 142 X 58	5	CB93116WM00	426
GI Metal Box- 18 Module	204 X 202 X 58	5	CB93118WM00	484

MOUNTING BOXES - PLASTIC SURFACE

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
Surface Mounting Box - 1/2M	98 X 90 X 50	12	CB91102WP00	95
Surface Mounting Box - 3M	126 X 90 X 50	10	CB91103WP00	125
Surface Mounting Box - 4M	158 X 90 X 50	12	CB91104WP00	149
Surface Mounting Box - 6M	229 X 90 X 50	5	CB91106WP00	195
Surface Mounting Box - 8M Horizontal	263 X 90 X 50	5	CB91108WP00	245
Surface Mounting Box - 8M Square	158 X 157 X 50	7	CB91208WP00	245
Surface Mounting Box - 12M	229 X 157 X 50	5	CB91112WP00	325
Surface Mounting Box - 16M	249 X 157 X 50	5	CB91116WP00	345
Surface Mounting Box - 18M	229 X 226 X 50	5	CB91118WP00	375

STANDALONE RANGE



CB93100PW06
CB93100PW16

CB93300PW06
CB93300PW16



Angle Holder

2in1

Batten Angle Holder

CB93400LW01




CB93400LW02



CB93400LW03



CB93400LW04



OA05W06

OA04W13



CB93400AB06
CB93300AB06

PLUG TOP WITH

Description	Std Pack	Cat No	MRP in ₹
Plug Top 6A 3 Pin with ISI	10	CB93100PW06	99
Plug Top 6A 3 Pin with indicator with ISI	10	CB93300PW06	120
Plug Top 16A 3 Pin with ISI	10	CB93100PW16	152
Plug Top 16A 3 Pin with indicator with ISI	10	CB93300PW16	169

LAMP HOLDER

Description	Std Pack	Cat No	MRP in ₹
 Jumbo Lamp Holder 2 in 1 Type	24	CB93400LW01	116
 Lamp Holder Angular Type	30	CB93400LW02	44
 Lamp Holder Batten Type	40	CB93400LW03	42
Jumbo Ceiling Rose	40	CB93400LW04	70

SPIKE GUARDS

Description	Std Pack	Cat No	MRP in ₹
Spike Guard 4-way with Resettable Fuse	1	OA04W13	984
Spike Guard 3-way with Twin USB Charger and Resettable Fuse	1	OA05W06	1684
Spike Guard 4 Way - 1.5 Mtr	1	CB93300AB06	744
Spike Guard 4 Way - 5 Mtr	1	CB93400AB06	1155

CUSTOMISED GI METAL BOXES SUITABLE FOR MIYAN CONSTRUCTION

Suitable for entice, englage and enGem range of plates

Technical Specifications

- Material Type – CRCA Galvanised Sheet
- Sheet Thickness – 1.2mm / 1.6mm
- Depth – 50mm / 60mm
- GI coating – 120 GSM
- Design Type – Foldable, weldless design
- Knockouts – Multiple knockouts on all sides
- RoHS Compliant – Yes
- Testing /Certification – Conforms to IS14772: 2000
- with  Marking



• Make to order for projects, please consider **Delivery time – 6-8 weeks**

CUSTOMISED GI METAL BOXES - 1.2MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 50mm Depth	73 X 78 X 50	10	CB91102WM1250	175
GI Metal Box-3 Module 1.2mm & 50mm Depth	99 X 78 X 50	10	CB91103WM1250	215
GI Metal Box- 4 Module 1.2mm & 50mm Depth	133 X 78 X 50	10	CB91104WM1250	255
GI Metal Box- 6 Module 1.2mm & 50mm Depth	202 X 78 X 50	10	CB91106WM1250	365
GI Metal Box- 8 Module L-1.2mm & 50mm Depth	231 X 78 X 50	5	CB91108WM1250	435
GI Metal Box- 8 Module Sqr -1.2mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1250	435
GI Metal Box- 12 Module -1.2mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1250	550

CUSTOMISED GI METAL BOXES - 1.6MM THICK & 50MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 50mm Depth	74 X 78 X 50	10	CB91102WM1650	225
GI Metal Box-3 Module 1.6mm & 50mm Depth	100 X 78 X 50	10	CB91103WM1650	265
GI Metal Box- 4 Module 1.6mm & 50mm Depth	134 X 78 X 50	10	CB91104WM1650	325
GI Metal Box- 6 Module 1.6mm & 50mm Depth	205 X 78 X 50	10	CB91106WM1650	425
GI Metal Box- 8 Module L-1.6mm & 50mm Depth	232 X 78 X 50	5	CB91108WM1650	525
GI Metal Box- 8 Module Sqr -1.6mm & 50mm Depth	132 X 136 X 50	5	CB91208WM1650	525
GI Metal Box- 12 Module -1.6mm & 50mm Depth	204 X 136 X 50	5	CB91112WM1650	685

CUSTOMISED GI METAL BOXES - 1.2MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.2mm & 60mm Depth	72 X 75 X 61	10	CB91102WM1260	201
GI Metal Box-3 Module 1.2mm & 60mm Depth	98 X 75 X 61	10	CB91103WM1260	247
GI Metal Box- 4 Module 1.2mm & 60mm Depth	133 X 75 X 61	10	CB91104WM1260	293
GI Metal Box- 6 Module 1.2mm & 60mm Depth	204 X 75 X 61	10	CB91106WM1260	420
GI Metal Box- 8 Module L-1.2mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1260	500
GI Metal Box- 8 Module Sqr -1.2mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1260	500
GI Metal Box- 12 Module -1.2mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1260	650

CUSTOMISED GI METAL BOXES - 1.6MM THICK & 60MM DEPTH

Description	Dimensions W X H X D (mm)	Std Pack	Cat No	MRP in ₹
GI Metal Box - 1/2 Module 1.6mm & 60mm Depth	74 X 75 X 61	10	CB91102WM1660	259
GI Metal Box-3 Module 1.6mm & 60mm Depth	100 X 75 X 61	10	CB91103WM1660	305
GI Metal Box- 4 Module 1.6mm & 60mm Depth	134 X 75 X 61	10	CB91104WM1660	374
GI Metal Box- 6 Module 1.6mm & 60mm Depth	205 X 75 X 61	10	CB91106WM1660	489
GI Metal Box- 8 Module L-1.6mm & 60mm Depth	232 X 78 X 62	5	CB91108WM1660	604
GI Metal Box- 8 Module Sqr -1.6mm & 60mm Depth	132 X 136 X 62	5	CB91208WM1660	604
GI Metal Box- 12 Module -1.6mm & 60mm Depth	205 X 136 X 62	5	CB91112WM1660	788

SWITCHES & BELL PUSH WITH

Description	Std Pack	Cat No	MRP in ₹
Switch 10AX 1-way 1M	20	OS11W10	199
Switch 10AX 2-way 1M	20	OS12W10	323
Switch 10AX 1-way with Indicator 1M	20	OS13W10	323
Switch 16AX 1-way 1M	20	OS11W16	376
Switch 16AX 2-way 1M	20	OS12W16	445
Switch 16AX 1-way with Indicator 1M	20	OS13W16	418
Switch 10AX 1-way 1M - W Plain Knob	20	OS15W10	193
Switch 10AX 2-way 1M - W Plain Knob	20	OS16W10	310
Switch 16AX 1-way 1M - W Plain Knob	20	OS15W16	357
Switch 16AX 2-way 1M - W Plain Knob	20	OS16W16	430
Switch 20A DP with Indicator 2M	10	OS24W20	722
Switch 32A DP with Indicator 2M	10	OS24W32	867
Switch Night Locator 10A 1M	20	OS14W10	351
Bell Push 6A 1M	20	OB11W06	347
Bell Push 6A with Indicator 1M	20	OB13W06	387
Bell Push 10A with Indicator 2M	10	OB23W10	474
Bell Push 6A 1M - W Plain Knob	20	OB15W06	334

MOTOR STARTER

Description	Std Pack	Cat No	MRP in ₹
Motor Starter 1 PH 25A 3M	8	OS31W25	1701

POWER SOCKET WITH

Description	Std Pack	Cat No	MRP in ₹
Socket 6A 3 Pin with ISI 2M	10	OC36W06	280
Socket 6A/16A 3 Pin Combi with ISI 2M	10	OC32W66	552

FAN REGULATOR & DIMMER

Description	Std Pack	Cat No	MRP in ₹
Dimmer 400 W 1M	5	OD21W04	1176
Fan Regulator 5-Step 120W with ISI 2M	5	OR22W01	1225

DATA SOCKETS

Description	Std Pack	Cat No	MRP in ₹
RJ 11 Socket with Shutter 1M	20	OT11W11	326
RJ 45 Cat 6 Socket with Shutter 1M	20	OT11W45	1035
TV Socket 1M	20	OT11W00	292

ACCESSORIES

Description	Std Pack	Cat No	MRP in ₹
LED Foot Light 6M (GST@12%)	5	OL61W06	1379
Indicator Light 1M	20	OA11W00	268
Blank Off Unit 1M	20	OA10W00	55

COVER PLATES WITH GRID FRAMES

Description	Std Pack	Cat No	MRP in ₹
Grid and Face Plate 1M	15	OF11W00	221
Grid and Face Plate 2M	15	OF21W00	221
Grid and Face Plate 3M	10	OF31W00	272
Grid and Face Plate 3M Mini	10	OF32W00	248
Grid and Face Plate 4M	10	OF41W00	279
Grid and Face Plate 6M	10	OF61W00	369
Grid and Face Plate 8M	10	OF81W00	442
Grid and Face Plate 10M 433	5	OF10W03	523
Grid and Face Plate 10M 433 Suitable for entice 8M Box	5	OF10W04	533
Grid and Face Plate 12M	5	OF12W00	625
Grid and Face Plate 16M	5	OF16W00	688
Grid and Face Plate 24M	5	OF24W00	902

MOUNTING BOXES - PLASTIC SURFACE BOXES

Description	Std Pack	Cat No	MRP in ₹
Surface Wall Box 1/2M	20	OW21W00	188
Surface Wall Box 3/4M	12	OW41W00	220
Surface Wall Box 6M	10	OW61W00	263
Surface Wall Box 8M	14	OW81W00	275
Surface Wall Box 10M	10	OW10W00	331
Surface Wall Box 12M	10	OW12W00	361
Surface Wall Box 16M	8	OW16W00	528



MATERIAL DISCONTINUED, AVAILABLE TILL STOCKS LAST

Description	Cat No	MRP in ₹	Description	Cat No	MRP in ₹
entice Dimmer 1000W 2M	CB91102DW10	1467	englaze Curtain Control Switch 2M 10A	CB92502AW10	791
entice Twin RJ 11 1M	CB91201TW11	381	englaze Shaver socket 4M	CB92104HW10	6588
entice RCA Connector 1M	CB91201TW00	3303	englaze Volume controller 2M	CB92702HW00	1493
entice HDMI Connector 1M	CB91301TW00	2702	englaze Bell indicator with Reset 1M	CB92801HW00	1572
entice USB Connector 1M	CB91401TW00	2302	englaze Call bell station with ind 2M	CB92902HW00	2196
entice VGA Connector 1M	CB91501TW00	2502	englaze Movement Sensor 1M	CB92701AW00	7816
entice Bell indicator with Reset 1M	CB91801HW00	1395	englaze Twin RJ 11, shutters M Grey	CB92201TM11	570
entice Volume Controller 2M	CB91702HW00	1354	englaze RCA connector M Grey	CB92201TM00	4736
entice Dimmer 1000W 2M - Cha Grey	CB91102DG10	2087	englaze HDMI connector M Grey	CB92301TM00	3874
entice Twin RJ 11, 1M - Cha Grey	CB91201TG11	548	englaze USB Connector M Grey	CB92401TM00	3301
entice RCA Connector 1M - Cha Grey	CB91201TG00	4545	englaze VGA Connector M Grey	CB92501TM00	3588
entice HDMI Connector 1M - Cha Grey	CB91301TG00	3717	englaze Shaver socket 4M M Grey	CB92104HM10	8233
entice USB Connector 1M - Cha Grey	CB91401TG00	3168	englaze Volume controller 2M M Grey	CB92702HM00	1867
entice VGA Connector 1M - Cha Grey	CB91501TG00	3443	englaze Bell indicator with Reset 1M M Grey	CB92801HM00	1965
entice Volume Controller 2M-Cha Grey	CB91702HG00	1708	englaze Call bell station with ind 2M M Grey	CB92902HM00	2746
entice Bell ind. with Reset 1M-Cha Grey	CB91801HG00	1844	englaze Movement Sensor 1M M Grey	CB92701AM00	9770
englaze 6A/16A 3pin combi Socket with ISI 3M	CB92303CW16	693	englaze Curtain Control Switch 2M 10A - M Grey	CB92502AM10	1208
englaze Dimmer 1000 W 2M	CB92102DW10	1794	englaze Dimmer 1000 W M Grey	CB92102DM10	2243
englaze Twin RJ 11, with shutters 1M	CB92201TW11	456	ORIS Digital Ding Dong Door Bell	OB31W00	416
englaze RCA connector 1M	CB92201TW00	3962	ORIS Mantras Door Bell	OB32W00	477
englaze HDMI connector 1M	CB92301TW00	3241	ORIS English Melody Door Bell	OB33W00	507
englaze USB Connector 1M	CB92401TW00	2763	RJ 45 Cat 6 Socket with shutter 1M discontinued for englaze, entice & engem range		
englaze VGA Connector 1M	CB92501TW00	3000	englaze Shadow Black metal plate range is discontinued		
			englaze touch switches range is discontinued		

WARRANTY POLICY

- **All products** carry warranty against manufacturing defects due to fault workmanship.
- **All switches**, sockets and accessories carry a warranty of 12 years from the date of manufacturing.
- **Products** with electronic circuits and LED i.e. electronic fan regulators, dimmers, foot light, buzzers, hotel range, USB chargers, bell indicators, sensors, enconnect wifi switches, touch switches etc., carry a warranty of 2 years from the date of manufacturing.
- **All colour products** and material plates carry a warranty of 3 years from the date of manufacturing.
- **Warranty** does not apply to case of breakage/tampering with products.
- **The warranty** is subject to the provision of proper usage and proper maintenance and does not cover defects arising out of fire, accident, insufficient maintenance, faulty operations and wilful or accidental damage.
- **Company** shall not be liable for any consequential losses, injuries or damages attributes to defect or failure of it's products.
- **Trippler, Tripbox and Tripbox PLUS range**
all products listed in the price list carry a warranty against manufacturing defects for a period of 18* months from the date of purchase.
- Extended Warranty of 5 years on **Lauritz Knudsen E&A MCBs** and Isolators if mounted inside **Lauritz Knudsen E&A Distribution Boards**.
- **Note:** We are committed to maintaining our product warranty in line with our standard terms for both the Lauritz Knudsen brand and the L&T Switchgear brand. The change in brand will not alter our standard warranty terms or any applicable extended warranty terms. Furthermore, we will ensure that spares and after-sales support remain available throughout the entire product life cycle, regardless of whether the products are under the L&T Switchgear brand or the Lauritz Knudsen Brand

*Proof of purchase to be retained to avail warranty.

Electrical Standard Products (ESP) Offices:

HEAD OFFICE

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra,
Tel: 022 6722 6300 | Fax: 022-67051112 | e-mail: CIC@LK-EA.com

BRANCH OFFICES

Lauritz Knudsen Electrical & Automation
C-201, The First Commercial Complex,
B/S Keshavbaug Party Plot, Vastrapur,
Ahmedabad - 380 015
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Wework Central, #36 Infantry Road,
Bengaluru - 560 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Work loop Unit-612, 6th Floor,
Esplanade One, Rasulgah,
Bhubaneswar - 751 010
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
801 Word Level-8, No. 28,
SIDCO Industrial Estate, Guindy,
Chennai - 600 032
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Playworkz Coworking Space
43 & 44, 3rd Cross,
Bharathy Colony, Peelamedu,
Coimbatore - 641 004
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
3rd Floor, 1&2 Vijay Park,
Main Chakrata Road, Opp. Anandam,
Near Ballupur chowk,
Dehradun - 248 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Ground Floor, B-27,
Biplab Rashbihari Sarani,
Sector 2A, Bidhan Nagar,
Durgapur - 713 212
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
6th Floor, Exotica Greens, A Block, 191,
R G Baruah Road, Guwahati Central,
Guwahati - 781 005
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Shri Daneshwari, 1st Floor,
Plot No. 17, 2nd Cross, Near Old Income
Tax Office Road, Vidyanagar,
Hubballi - 580 021
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
AWFIS Space Solutions, Prestige Phoenix,
4th floor, 1405, Umanagar, Begumpet,
Hyderabad - 500 016
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Workie, 214 - 2nd Floor,
Apollo Premier, PU-4,
Scheme No. 54, Vijay Nagar Square,
Indore - 452 010
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 430, 4th Floor,
Jaipur Electronic Market, Riddhi Siddhi,
Gopalpura Bypass,
Jaipur - 302 018
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
GDR Siddha, Ground Floor, N Road
Bistupur, Opposite St. Mary's Church,
Jamshedpur - 831 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Business Communication Centre
2nd Floor, Chiramel Chambers,
Kurisupally Road, Ravipuram,
Kochi - 682 015
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
207, 2nd floor, Revolution Complex,
Station Road, E Ward,
Next to Pedestrian Bridge,
Kolhapur - 416 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, BN3, Salt Lake, Sector-V,
Kolkata - 700 091
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
No.10, Fortuna Towers, 2nd Floor,
Rana Pratap Marg, Near NBRI,
Lucknow - 226 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
El Dorado Building, 3rd Floor, 6,
Venkatraman Street, Chinna Chokkikulam,
Madurai - 625 002
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Bestech Business Park,
Tower - A, 2nd floor, Sector - 66
Mohali - 160059
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
TC II, Tower B, PRIMA BAY Gate No. 5,
Saki Vihar Road Powai,
Mumbai - 400 072
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Unnati Building, 2nd Floor,
Automation Campus, A-600, TTC Industrial
Area Shil-Mahape Road, Mahape,
Navi Mumbai - 400 710
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
M1 & M2, Mezzanine Floor,
Himalaya Excellency,
Plot No. C-47, Pratap Nagar Square,
Nagpur - 440 022
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
2nd Floor, Samarth House,
Opposite Titan World,
Samarth Nagar, Mahatma Nagar,
Nasik - 422 005
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A-25, 1st Floor, Imperia Complex, ,
Mohan Corporate Industrial Estate,
Near Sarita Vihar Metro Station,
Mathura Road,
New Delhi - 110 044
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
A06/A07, Second Floor,
Grand Chandra Complex, Frazer Road
Patna - 800 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
UrbanWrk, 5th Floor, Sai Radhe,
Raja Bahadur Mill Road, Behind Hotel
Grand Sheraton, Sangamwadi
Pune - 411 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Office No. 211 & 212, Pithalia Plaza,
KK Road, Near Fafadih Chowk,
Raipur - 492 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
DevX 4th Floor, A Wing, Om 9 Square,
150 Ft Ring Road, Near Nana Mava Circle,
Opp Silver Heights,
Rajkot - 360 001
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
10th Floor, Titaanium Business,
Bhimrad Road, Althan
Surat - 395 017
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
11th Floor, Block-D, Notus IT Park,
Sarabhai Campus, Bhailal Amin Marg,
Vadodara - 390 023
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Lauritz Knudsen Electrical & Automation
Qubexpro Business Centre,
4th Floor, V Mall, Above Lifestyles,
Facor Layout, Waltair Uplands,
Visakhapatnam - 530 003
Phone No: 022-6932 7800
e-mail: CIC@LK-EA.com

Product improvement is a continuous process. For the latest information and special application, please contact any of our offices listed here. Product photographs shown for representative purpose only

Lauritz Knudsen Electrical & Automation, Electrical Standard Product, A/600, Shil-Mahape Road, TTC Industrial Area, MIDC, Navi Mumbai, 400 710, Maharashtra, Tel: 022 6722 6300 | Web: www.LK-EA.com

Customer Interaction Center (CIC)
Phone no: 022 6932 7800
Web: www.LK-EA.com | e-mail: CIC@LK-EA.com

Reach Us On:



e-commerce website



Facebook



Instagram



LinkedIn



Website

